

Berichte  
aus dem  
Institut für Meereskunde  
an der  
Christian-Albrechts-Universität, Kiel  
Nr. 202

Hydrographic and Current Observations  
in the North-East Atlantic Ocean

Data Report F.S. POLARSTERN Cruise ANT IV/1b  
F.S. POSEIDON Cruise 124  
B.O. TALIARTE Cruise XIV  
September to December 1985

by  
T.J. Müller, J. Xu, O. Llinas and E. Pérez-Martell

Copies of this report are available on request from:

Institut für Meereskunde  
Abt. Meeresphysik  
Düsternbrooker Weg 20  
D-2300 Kiel, FRG

ISSN 0341 - 8561

1990

Die "Berichte aus dem Institut für Meereskunde" erscheinen in unregelmäßiger Folge und sind gedacht als Arbeitsunterlagen für den sich mit dem jeweiligen Thema befassenden Personenkreis. Die Hefte werden fortlaufend numeriert. Sie sind unredigierte Beiträge und geben allein die Meinung des Verfassers wieder.

D 2300 Kiel 1, Düsternbrooker Weg 20

T.J. Müller, J. Xu\*

Institut für Meereskunde an der Universität Kiel  
Abt. Meeresphysik  
Düsternbrooker Weg 20  
D-2300 Kiel  
FRG

O. Llinás  
Centro de Tecnología Pesquera  
Excmo. Cabildo Insular de Gran Canaria  
Apartado 56, Telde 35200  
Spain

E. Pérez-Martell  
Marine Sciences Faculty  
Universidad de Las Palmas G.C.  
Apartado 550 - Las Palmas  
Spain

\* while on leave from 2nd Institute of Oceanography, Hangzhou, PR China

## Summary

In this report two sets of data from the North-East Atlantic ocean between  $15^{\circ}\text{N}$  and  $40^{\circ}\text{N}$  and east of  $27^{\circ}\text{W}$  are presented: Hydrographic measurements stem from cruises with F.S. POLARSTERN, F.S. POSEIDON and B.O. TALIARTE in autumn 1985. Further, one year long time series of temperature and currents were obtained at eleven sites from autumn 1984 to autumn 1985. These include the continuation of the time series at mooring site N1 ( $33^{\circ}\text{N}$ ,  $22^{\circ}\text{W}$ ) later denoted as KIEL276 which started in April 1980. Methods of data processing are also discussed.

## Zusammenfassung

Dieser Bericht enthält zwei Datensätze vom Nordostatlantik aus dem Segebiet von  $15^{\circ}\text{N}$  bis  $40^{\circ}\text{N}$  und östlich von  $27^{\circ}\text{W}$ : Hydrographische Messungen vom Herbst 1985, die mit F.S. POLARSTERN, F.S. POSEIDON und B.O. TALIARTE durchgeführt wurden, werden dargestellt. Ferner wurden Zeitreihen von Temperatur und Strömungen auf elf Positionen mit verankerten Geräten im Zeitraum vom Herbst 1984 bis Herbst 1985 gewonnen. Sie enthalten auch die Fortsetzung der Messungen auf Position N1 ( $33^{\circ}\text{N}$ ,  $22^{\circ}\text{W}$ ), später als KIEL276 bezeichnet, die im April 1980 begannen. Außerdem werden Methoden der Datenaufbereitung diskutiert.

## 摘要

本报告概述了东北大西洋  $15^{\circ}\text{N}$  至  $40^{\circ}\text{N}$  之间、 $27^{\circ}\text{W}$  以东区域内的二组调查资料：1985年秋季分别由“普拉斯塔尔”号（F. S. POLARSTERN）、“普沙东”号（F. S. POSEIDON）和“塔利阿坦”号（B. O. TALIARTE）调查船获取的水文观测资料和1984年秋至1985年秋在11个锚系站上得到的长达一年的温度和海流资料，其中也包括了N1锚系站（ $33^{\circ}\text{N}$ ,  $22^{\circ}\text{W}$ ）上的连续时间系列资料（该测站始于1980年4月）。文章还对资料处理方法进行了讨论。

## Resumen

En este informe se presentan dos colecciones de datos del Atlántico Nororiental, al Este de los  $27^{\circ}\text{W}$  y entre los  $15^{\circ}\text{N}$  y  $40^{\circ}\text{N}$ . Las medidas hidrográficas proceden de los cruceros realizados durante el otoño de 1985 por el F.S. POLARSTERN, el F.S. POSEIDON y el B.O. TALIARTE. Se presentan además, las series temporales de temperatura y corrientes, obtenidas en once posiciones desde el otoño de 1984 al otoño de 1985, en las que se incluye la continuación de la serie temporal correspondiente a la posición N1( $33^{\circ}\text{N}$ ,  $22^{\circ}\text{W}$ ), iniciada en Abril de 1980 y denominada posteriormente con el nombre de Kiel 276. Se comentan tambien los métodos del proceso de datos.

## Contents

	<u>page</u>
1. Introduction	1
2. Instruments calibration and data processing	4
2.1 Conductivity - temperature - pressure profiling systems (CTD's)	4
2.2 Expendable Bathythermograph (XBT)	16
2.3 Nutrients	18
2.4 Moored current meters and thermistor cables	18
Acknowledgements	19
References	20
3. Hydrographic data	21
3.1 POLARSTERN cruise ANT IV/1b	21
3.2 POSEIDON cruise 124	23
3.3 TALIARTE cruise XIV	35
4. Time series	38
4.1 Current meter mooring N1/276-6	39
4.2 Thermistor cable mooring U/300-1	49
4.3 Thermistor cable mooring B/301-1	53
4.4 Thermistor cable mooring T/302-1	57
4.5 Thermistor cable mooring R/297-2	61
4.6 Thermistor cable mooring O/296-2	65
4.7 Thermistor cable mooring P/295-2	69
4.8 Thermistor cable mooring E/294-2	73
4.9 Thermistor cable mooring X/293-2	77
4.10 Current meter mooring KS1/303-1	81
4.11 Current meter mooring KS2/304-1	90
5. Lists	98
5.1 POLARSTERN cruise ANT IV/1b	98
5.2 POSEIDON cruise 124	100
5.3 TALIARTE cruise XIV	103
6. List of symbols	105

### 1. Introduction



In order to investigate the recirculation regime of the North Atlantic subtropical gyre intensive hydrographic surveys and mooring work have been conducted since 1980 within the Kiel University's special research programme 'Warmwassersphäre des Nordatlantiks' (e.g. Käse and Siedler, 1982; Stramma, 1984; Siedler et al., 1985; Käse and Zenk, 1987).

In autumn 1985 two cruises were conducted in the eastern North Atlantic between 15°N and 40°N and east of 27°W (see table 1). During the first one (Siedler, 1986; fig. 1b) F.S. POLARSTERN recovered five moorings with one current meter and two 400 m long thermistor cables each in the main thermocline (Positions R, O, P, E and X in fig. 1b) and two moorings with five current meters each (positions KS1 and KS2), which were deployed in autumn 1984 (Müller et al., 1987). In order to further investigate mesoscale fluctuations in the main thermocline two positions (E and X in fig. 1a) have been prolonged and one position (Y) occupied for the first time for one year. On positions V, Q and W three current meter moorings were set to test whether differences in the mesoscale energy level on both sides of the boundary between the subtropical recirculation regime and the shadow zone (Luyten et al., 1983) can be detected. Several CTD-profiles on mooring positions and three XBT-sections have been obtained additionally.

The other cruises in autumn 1985 with F.S. POSEIDON and B.O. TALIARTE covered the northern part of the investigation area (Fig. 1a). Thermistor cable moorings U, B and T have been recovered after one year, and current meter mooring N1 replaced for one year. Note that position N1 since 1987 is denoted as KIEL276 (Siedler et al., 1987). In order to monitor the Mediterranean outflow another mooring with three current meters and two thermistor cable has been launched at position MW. Three densely spaced sections with CTD- and XBT-stations allow to determine baroclinic flow and water mass distribution. With this report we fill the 1984/85 gap in a series of reports (see Müller et al., 1987; Siedler et al., 1987). In section 2 we describe methods used for calibration and processing of hydrographic and moored instruments data. In sections 3 and 4 we then present hydrographic sections and time series from moored instruments.

Ship	Cruise No.	Observation period	Port dep/arriv.	Area	Stations		
					CTD	hydrographic with nutrients	XBT deep blue
F.S. POLARSTERN	ANT-IV/1b	28.9.-14.10. 1985	Las Palmas-Dakar	Canary Islands-Dakar	10	-	79
F.S. POSEIDON	124	7.11.-9.12. 1985	Lisbon-Las Palmas-Kiel	North-east Atlantic (28°N-40°N)	45	30	95
B.O. TALIARTE	XIV	19.11.-2.12. 1985	Las Palmas	Canary Islands	5	34	-

Table 1: Overview of autumn 1985 activities of F.S. PLARSTERN, F.S. POSEIDON and  
B.O. TALIARTE



**Figure 1:** Cruise tracks of FS POSEIDON and BO TALIARTE (a) and FS POLARSTERN (b) in autumn 1985 with CTD-stations (circles), bottle stations (triangles), and XBT casts (points). Mooring positions are denoted with letters.

## 2. Instruments, calibration and data processing

In this section we deal with methods and results of the calibration and the processing of data from conductivity-temperature-pressure profilers (CTD), expandable bathythermographs (XBT) and moored instruments (Aanderaa current meters and thermistor cables).

### 2.1 Conductivity-temperature-pressure profiling systems (CTD's)

Three CTD machines with coefficients from laboratory calibrations were used combined with rosette samplers for in-situ calibration. On F.S. POLARSTERN a Neil Brown MARK III (NB) instrument lent from the Alfred-Wegener-Institut für Polarforschung, Bremerhaven, was available. Apart from difficulties with the recording system at the beginning this instrument worked well. On F.S. POSEIDON first a newly delivered Neil Brown system MARK III NBIS-CTD NB1 was used. Besides severe spiking due to detuned compensation circuit for the temperature response (see below in this paragraph) the conductivity cell broke during the up-profile of station 526. From then on, a CTD manufactured by Meerestechnik Elektronik (ME-CTD MS45) served as back up. Here also difficulties with the computer recording system occurred which resulted in total data losses on stations 536, 538 and 539.

All three CTD's were calibrated in a laboratory, but due to a bad reference the conductivity calibration of the CTD MS45 was bad. Wherever possible the same in-situ calibration coefficients were applied for the whole data set or at least several stations. With this in mind the coefficients were determined as follows: first, temperature readings of the CTD were compared with temperature values of protected mercury reversing thermometers and corrected for the whole cruise when the differences were significantly different from zero and the laboratory calibration of the CTD older than six months. Because of the slow response of the mercury thermometers only values from the mixed surface layer and from the deep sea (>1500 m) have been chosen.

Next, the pressure sensors were calibrated using deck values and pressures from unprotected reversing thermometers in combination with corrected CTD-temperatures. In one case (MS45, POSEIDON 124) slight differences of order 1.5 dbar between down and up profiles due to hysteresis effects occurred. These differences were considered in the calibration of the conductivity sensor of this CTD.

In-situ salinities were available from pairs of rosette samplers closed at the same depth and measured with Guildline salinometer models 8400. The salinometers were free of drift over several days and showed high precision, i.e. the differences of pairs of salinity probes seldom exceed  $10^{-3}$ . Thus all pairs exceeding  $3 \cdot 10^{-3}$  were rejected. Taking salinities and calibrated temperatures and pressures (up-profile in case MS45) in-situ conductivities were calculated and compared with conductivity readings from the CTD.

Let  $\Psi_c$  be one of the parameters pressure, temperature or conductivity to be calibrated and  $\Psi$  the corresponding measured quantity. Then the in-situ calibration coefficients were determined from the equation

$$(1) \quad \Psi_c = \Psi + \sum_{i=0}^2 a_i \Psi^i + R$$

where  $R$  is any polynomial in other quantities than  $\Psi$ , including time (station number) to consider a trend. In most cases  $R$  is not significantly different from zero. The index  $c$  denotes calibrated values. Equation (1) is multilinear in the unknown coefficients  $a_i$  and those of the polynomial  $R$  and thus the coefficients may be determined in the least square sense using calibration points and CTD readings.

With  $\sigma$  as standard deviation of differences of reference to CTD-values after correction and  $N$  as number of calibration points for each sensor we estimate the precision of the calibration as the ratio  $2\sigma/\sqrt{N}$ . With  $N_e$  as effective number of degrees of freedom, the maximum of  $2\sigma/\sqrt{N_e}$  and the expected systematic error gives an estimate of the expected accuracy of the calibration.  $N_e$  is set to the number of reversing thermometers used in the case of pressure and temperature calibration and to the number of stations in the case of conductivity calibrations.

In tables 2.1 - 2.3 we display the results. For both Neil Brown instruments the result is sufficiently good for each sensor (tables 2.1 and 2.2). Whereas the CTD-system from POLARSTERN (table 2.1) proved to be of high quality with only minor corrections to be needed we had to apply a quadratic drift

correction of order  $0.02 \text{ mS cm}^{-1}$  to the conductivity cell of the NB1 of POSEIDON to achieve similar high accuracy in the final data (table 2.2).

The back up CTD system MS45 was calibrated earlier against a bad reference conductivity standard and thus the high corrections in the leading coefficients  $a_i$  were not unexpected (table 2.3a). Because of the conductivity cell's dependence on pressure (of order  $0.01 \text{ mS cm}^{-1}$ ) and because of additional drifts in its calibration in two sets of stations (order  $0.02 \text{ mS cm}^{-1}$ ) the quality of derived salinity data had to be compared and corrected on some stations (table 2.3b) against the mean eS-relationship of the North Atlantic Central Water in the North-East Atlantic (Willenbrink, 1982) and high quality data from an earlier cruise (Müller et al., 1987). The resulting final accuracy in salinity data is sufficient for baroclinic flow calculations and water mass analysis down to 2000 m.

**Table 2.1:** In-situ calibration of the NBIS-CTD used on F.S. POLARSTERN cruise no. 8, ANT IV, 1b, according to equation (1) with  $R = 0$ . For estimating precision and accuracy see text.  
All numbers are to be used in the standard units dbar,  $^{\circ}\text{C}$ ,  $\text{mS cm}^{-1}$  if not stated explicitly.

	Pressure	Temperature	Conductivity
$a_0$	3.75	$-5.4 \cdot 10^{-3}$	0.0
$a_1$	0.0	0.0	0.0
$a_2$	0.0	0.0	0.0
precision	1.5 dbar	$\pm 6 \text{ mK}$	$\pm 1.5 \mu\text{S cm}^{-1}$
accuracy	<0.5 dbar near surface <5 dbar at 4000 dbar	$\pm 5 \text{ mK}$	$\pm 2 \mu\text{S cm}^{-1}$

Table 2.2: As table 2.2 for the NBIS-CTD NBI used on F.S. POSEIDON cruise no. 124

with  $R = \sum_{i=0}^2 b_i S^i$  and  $506 < S < 526$ ,  $S \neq 516$  as station number.

	Pressure	Temperature	Conductivity
$a_0$	$-3.9$	$0.7 \cdot 10^{-3}$	$0.0215$
$a_1$	$-10^{-3}$	$1.94 \cdot 10^{-4}$	$-5.3063 \cdot 10^{-4}$
$a_2$	$0.0$	$0.0$	$0.0$
$b_0$	$-$	$-$	$36.878$
$b_1$	$-$	$-$	$-1.420 \cdot 10^{-1}$
$b_2$	$-$	$-$	$1.3658 \cdot 10^{-4}$
precision	$\pm 1$ dbar	$\pm 5$ mK	$\pm 1.0 \mu\text{S cm}^{-1}$
accuracy	$< 3$ dbar at 2000 dbar	$< 5$ mK	$\pm 1.5 \mu\text{S cm}^{-1}$

Table 2.3a: As table 2.1 for the ME-CTD MS45 used on F.S. POSEIDON cruise no. 124

with  $R = \sum_{i=0}^1 b_i S_i + \sum_{i=1}^2 c_i P_i$  where S is station number and P is pressure. Additional correction to salinities after these corrections as in table 2.3b.

	Pressure (lowering)	Temperature	Conductivity	Remarks
a <sub>0</sub>	2.28	$-3.0 \cdot 10^{-3}$	0.234	
a <sub>1</sub>	$-3.61 \cdot 10^{-3}$	$4.0 \cdot 10^{-4}$	$-1.807 \cdot 10^{-2}$	
a <sub>2</sub>	$2.20 \cdot 10^{-6}$	0.0	$1.929 \cdot 10^{-4}$	
b <sub>0</sub>	-	-	1.784	Station 530
b <sub>1</sub>	-	-	$-3.345 \cdot 10^{-3}$	to 541
b <sub>0</sub>	-	-	0.830	Station 542
b <sub>1</sub>	-	-	$-1.498 \cdot 10^{-3}$	to 564
c <sub>1</sub>	-	-	$-7.9 \cdot 10^{-6}$	pressure effect
c <sub>2</sub>	-	-	$2.1 \cdot 10^{-9}$	
precision	$\pm 2$ dbar	$\pm 5$ mK	$\pm 0.01 \text{mS cm}^{-1}$	
accuracy	<1 dbar near surface <4 dbar at 4000 dbar	<5 mK	$\pm 0.01 \text{mS cm}^{-1}$	

Table 2.3b: Additional corrections in salinity to fit the mean potential temperature salinity relation in the North Atlantic Central Water after in-situ calibration of the ME-CTD MS45.

Stat.No.:	531	532	542	543	544	545	550	551
Correction:	0.005	0.01	-0.005	-0.01	-0.015	-0.02	-0.015	-0.01

To avoid severe spiking in derived salinities the time constants of conductivity- and temperature-sensors have to be adjusted. In ME-CTD's this is achieved geometrically in that the flushing time of the conductivity cell is about 100 ms at a lowering rate of  $1 \text{ m s}^{-1}$  and thus corresponds to the response time of the platinum resistance to temperature changes. No severe spiking was observed with this type of CTD during POSEIDON 124.

In NBIS-CTD's the electronically high passed signal of a fast response temperature sensor is added to the high accurate but relative slow signal of the platinum resistance sensor to match the fast response of the conductivity cell for fine structure measurements. It is this electric circuit which was detuned and thus led to severe spiking in derived salinities on the NB1 during the POSEIDON cruise. In figures 2.1 to 2.6 we show how one can overcome this problem with simple methods originally proposed by P.L. Grose (UNESCO, 1988).

We start with the eS-diagramme of station 506 off the Portuguese coast which below the high salinity intrusion of Mediterranean Water shows step like structures with statically instable situations (fig. 2.1) which are physically unreasonable. A subset of these data between  $5.5^{\circ}\text{C}$  and  $7.0^{\circ}\text{C}$  (1600 dbar to 1700 dbar in pressure) is shown in figure 2.2 to 2.6 as vertical profiles of temperature, conductivity and derived salinity for different processing states. First, it is clear from figure 2.2 that the instabilities mentioned in figure 2.1 are artificial due to a mismatch in the response of temperature and conductivity, the conductivity being faster, and that they occur on large vertical scales of 5 dbar. Obviously it is not easy to eliminate such cycles by simple spike tests. In a next step we therefore applied a recursive integral filter to the conductivity data:

F124,NB1,CALIBRATED,FULL DATA RATE  
506




Fig. 2.1: F.S. POSEIDON, cruise 124, station 506 off Portugal, 07-Nov-85.  
Potential temperature - salinity relation, full data rate at  
 $1 \text{ m s}^{-1}$  lowering rate of CTD NB1.




Fig. 2.2: As fig. 2.1, profiles of temperature T, conductivity C and derived salinity S between 1600 dbar and 1700 dbar.




Fig. 2.3: As fig. 2.1, conductivity corrected to  $C_{i,c} = C_i + (C_{i-1,c} - C_i)e^{-\Delta t/c_k}$  with  $\Delta t/c_k = 1/9$  and S calculated anew.

P124.NB1.FILTERED

506




Fig. 2.4: As fig. 2.3, despiked in salinity.




Fig. 2.5: As fig. 2.4, 1 dbar mean, S calculated anew.




Fig. 2.6: As fig. 2.5, 5 dbar running mean, 2 dbar linear interpolation,  
S anew.

$$(2) C_{i,c} = C_i + (C_{i-1,c} - C_i) e^{-\Delta t/c_k}$$

Here the index  $i$  denotes the  $i$ -th cycle, the index  $c$  a corrected value, and  $\Delta t/c_k$  the ratio of sampling interval to the virtual time constant. It turned out that a ratio of 1/9 gave the best result in the sense that the left hand sided spikes in derived salinities were nearly completely removed. Instead, by overcompensating, sharp right hand sided spikes occurred but on the much smaller vertical scale of 1 dbar (fig. 2.3) which easily could be eliminated by a simple spike test (fig. 2.4). Calculating 1 dbar averages smoothed the curves further (fig. 2.5) but still shows rudiments of the original spikes to both sides at steps. Up to here the processing has reduced the spikes in salinity by a factor 10 and their vertical scale by a factor 5. Additionally they are no longer distributed on one side of the curve but on both sides and are of the same order. For that reason now a running mean over 5 dbar and interpolation to 2 dbar could be applied without weighting errors to one side (fig. 2.6). Although more sophisticated methods have been proposed (Horne and Toole, 1980; Giles and McDougall, 1986) this simple method proved to be very powerful in reducing spikes which occur due to a mismatch of response times between temperature and conductivity measurements, at least if one restricts oneself to vertical scales larger than 2 dbar in the analysis.

All station data acquired with the CTD NB1 during F.S. POSEIDON cruise 124 were processed in this manner. As 10 dbar running means they are displayed together with the data from the MS45 as eS-diagramme in figure 2.7.

## 2.2 Expendable Bathythermograph (XBT)

Deep Blue (T7) probes were launched at a nominal spacing of 40 km and with higher resolution near the Canary Islands. All data were recorded digitally with the system described by Emery et al. (1985). Comparing XBT data from the F.S. POSEIDON cruise at XBT positions with near surface temperature of a continuously recording system calibrated against CTD's we found a linear correction for XBT-temperatures

$$(2) T_c = 0.48^\circ\text{C} + 0.97 \cdot T \pm 0.15^\circ\text{C}.$$

No corrections were applied to XBT's from F.S. POLARSTERN and B.O. TALIARTE cruises.




Fig. 2.7: F.S. POSEIDON, cruise 124, overall potential temperature - salinity relationship.

### 2.3 Nutrients

From stations 522 to 559 of POSEIDON, samples for the analysis of nutrients were taken from the rosette sampler of the CTD in the same depths and positions as the ones taken to calibrate the sensor of conductivity. On B.O. TALIARTE, samples were taken with NISKIN bottles. In both cases the unfiltered samples were conserved in polypropylene bottles at  $\approx 18^{\circ}\text{C}$ . The nutrient analysis was performed using a Technicon autoanalyzer following the technique described by Grasshoff et al. (1983).


### 2.4 Moored current meters and thermistor cables

All moored instruments were of Aanderaa type (Aanderaa, 1983). The sampling interval was set to 1 h (current meters, 5 sensors) or to 2 h (thermistor cables, 11 sensors) to allow for one year record length and resolution of tidal and inertial oscillations. All moorings were equipped with pressure sensors in the uppermost instrument to control the nominal depth of the instruments and to monitor mooring motion. Two-daily means of temperature and salinities at the beginning and at the end of the records together with available CTD profiles led to linear endpoint corrections in these parameters. Whereas temperatures records show no or weak linear trends, salinity and therefore density sometimes have long term nonlinear variations which are expected to be due to fouling of the inductive conductivity cells.

A low pass filter with half amplitude response at 33 h and m weights

$$(2) \quad w_i = \frac{m}{\pi(i-1)} \sin\left(\frac{\pi(i-1)}{m}\right) \quad i = 2, 3, \dots, m$$

were  $m = 67$  for hourly and  $m = 35$  for two hourly sampled time series removed high frequency signals (fig. 2.8). Daily means from the filtered records then built the basis for statistics and time series plots in section 4.



**Fig. 2.8:** High frequency spectra of current measurements at 703 m depth, position N1, 33°N, 22°W and low pass filter amplitude response according to equation 2. Adapted from Müller (1987).

**Acknowledgements:** We thank the IfM buoy group and the crews of F.S. METEOR, F.S. POSEIDON, F.S. POLARSTERN and B.O. TALIARTE for their excellent mooring work. Thanks go also to the IfM data group for processing, drawing and typing.

This work has been supported by the Deutsche Forschungsgemeinschaft under SFB 133.


References

- Aanderaa instruments (1983): Operating manual RCM4/5 recording current meter. Techn. Descr. 119.
- EMERY, W.J., W. LEE, W. ZENK and J. MEINCKE (1986): A low-cost digital XBT-system and its application to the real-time computation of dynamic height. J. Atm. Oceanic Technology, 3, 1, 75-83.
- GILES, A.B. and T.J. McDougall (1986): Two methods for the reduction of salinity spiking of CTD's. Deep-Sea Res., 33, 9A, 1253-1276.
- GRASSHOFF, K., M. EHRHARDT and K. KREMLING (Eds.) (1983): Methods of Seawater Analysis. Weinheim: Verlag Chemie.
- HORNE, E.P.W. and J.M. Toole (1980): Sensor Response Mismatches and Lag Correction Techniques for Temperature Salinity Profilers. Journ. Phys. Oceanogr. 10, 7, 1122-1130.
- KÄSE, R.H. and G. SIEDLER (1982): Meandering of the subtropical front southeast of the Azores. Nature, 300 (5889), 245-246.
- KÄSE, R.H. and W. ZENK (1987): Reconstructed Mediterranean salt lens trajectories. J. Phys. Oceanogr., (in press)
- MÜLLER, T.J., M. FINKE, W. DASCH and R.-R. WITTSTOCK (1987): Hydrographic and current measurements in the North-East Atlantic Ocean. Dapa Report F.S. Meteor cruises 69/5 and 69/6 - Oktober to November 1984 -. Ber. Inst. f. Meereskunde Kiel, Nr. 166, 106 S.
- MÜLLER, T.J. (1987): Analyse niederfrequenter Strömungsschwankungen im Nordostatlantik. Ber. Inst. f. Meereskunde Kiel, Nr. 170, 134 S.
- LUYTEN, J..R., J. PEDLowsky and H. STOMMEL (1983): The Ventilated Thermocline. Journ. Phys. Oceanogr., 13, 292-309.
- SIEDLER, G., W. ZENK and W.J. EMERY (1985): Strong-current events related to a subtropical front in the Northeast Atlantic. J. Phys. Oceanogr., 15, 885-897.
- SIEDLER, G., A. KUHL and W. ZENK (1987): The Madeira Mode Water. J. Phys. Oceanogr., 17(10), 1561-1570.
- SIEDLER, G. (1986): Fahrtabschnitt Las Palmas - Dakar (ANT-IV/1b). In: FÜTTERER, D. (Hrsg.): Die Expedition ANTARKTIS-IV mit FS "POLARSTERN" 1985/86. Ber. Polarforsch. 32, 43-53.
- SIEDLER, G., H. SCHMICKLER, T.J. MÜLLER, H.-W. SCHENKE W. ZENK (1987): Forschungsschiff "Meteor", Reise Nr. 4, Berichte der wissenschaftlichen Leiter. Inst. f. Meereskunde Kiel, Nr. 173, 123 S.
- STRAMMA, L. (1984): Geostrophic transport in the Warm Water Sphere of the eastern subtropical North Atlantic. J. Mar. Res., 42, 537-558.
- UNESCO (1988): The acquisition, calibration and analysis of CTD data. A report of SCOR Working Group 51. UNESCO techn. pap. mar. sci., 54, 188, 92 pp.
- WILLENBRINK, E. (1982): Wassermassenanalyse im tropischen und subtropischen Nordostatlantik. Ber. Inst. f. Meereskunde Kiel, Nr. 96, 72 S.


### 3. Hydrographic data

### 3.1 POLARSTERN cruise ANT IV/1b

An inventory of CTD stations and XBT casts according to Siedler (1986) is given in table 5.1. We here show the three XBT sections (c.f. fig. 1b for location).




POLARSTERN cruise ANT IV/1b: XBT section from R to the Canary Islands,  
29 Sept - 01 Oct 1985. Positions see figure 1b.





POLARSTERN cruise ANT IV/1b: XBT sections from position Y to KS2, 06-07 Oct (left) and W to Dakar, 11-13 Oct 1985 (right). See figure 1b for location of sections.


### 3.2 POSEIDON cruise 124

For station inventories of CTDs and XBT's see tables 5.3 and 5.4. Sections of potential temperature, salinity, pressure and the nutrients are drawn against potential density as vertical coordinate, XBT temperature against depth. Orientation is West and South on the left hand side.






POSEIDON cruise 124: Sections of potential temperature and salinity between Portugal and the Azores, 07-11 Nov 1985. Potential density is the vertical coordinate.








POSEIDON cruise 124: Sections of pressure and temperature from XBTs between Portugal and the Azores. Potential density and depth are the vertical coordinates, respectively  
07-11 Nov 1985.








POSEIDON cruise 124: Sections of potential temperature and salinity between the Azores and 29°N, 26°W, 14-20 Nov 1985.  
Potential density is the vertical coordinate.








POSEIDON cruise 124: Sections of pressure and temperature from XBTs between the Azores and 29°N, 26°W, 14-20 Nov 1985. Potential density and depth are the vertical coordinates, respectively.







POSEIDON cruise 124: Sections of silicate and nitrate between 29°N 00', 26°W 30' and the Azores, 14-20 Nov 1985. Potential density is the vertical coordinate.








POSEIDON cruise 124: Section of phosphate between 29°N 00', 26°N 30' and the Azores, 14-20 Nov 1985. Potential density is the vertical coordinate.








POSEIDON cruise 124: Sections of potential temperature and salinity between 29°N 00', 26°W 30' and the Canary Islands, 20-25 Nov 1985. Potential density is the vertical coordinate.








POSEIDON cruise 124: Sections of pressure and XBT temperature between  $29^{\circ}\text{N}00$ ,  $26^{\circ}\text{W}30$  and the Canary Islands, 20-25 Nov 1985. Potential density and depth are the vertical coordinates, respectively.







POSEIDON cruise 124: Sections of silicate and nitrate between 29°N00, 26°W30 and the Canary Islands, 20-24 Nov 1985.  
Potential density is the vertical coordinate.






POSEIDON cruise 124: Section of phosphate between 29°N 00', 26°N 30' and the Canary Islands, 20-24 Nov 1985. Potential density is the vertical coordinate.







POSEIDON cruise 124: Section of XBT  
temperature between the Canary Islands  
and  $41^{\circ}\text{N}$   $14^{\circ}\text{W}$   $22^{\circ}\text{W}$ , 01-03 Dec 1985.





### 3.3 TALIARTE cruise XIV


An inventory of hydrographic stations and XBT casts are given in tables 5.5 and 5.6.






TALIARTE cruise XIV: Sections of silicate and nitrate south of the Canary Islands.






TALIARTE cruise XIV: Section of phosphate and XBT temperature south of the Canary Islands.



TALIARTE (POSEIDON 124) XBT ← SECTION(NW-SE-E)



#### 4. Time series

From each mooring, an inventory table leads the presentations. In the progressive vector diagrams up is north direction, the starting dates are indicated, and the curves are incremented by 10 days. In the vector time series also up is north.

4.1 Current meter mooring N1/276-6

IfM mooring No: 276-6 External name: N1/KIEL276  
Latitude: 33°09.5'N Longitude: 21°57.3'W  
Sounding: 5235 m Water depth: 5290 m  
Deployed: 26-Oct-84 Recovered: 16-Nov-85  
Start of record: 26-Oct-84, 15:00 Z End of record: 16-Nov-85, 11:00 Z

Remarks:

Identifi-cation	instrument				Remarks
	type	No	depth (m)	sampling (min.)	
276602	A-VPT	673	330	120	rotor fouling, rotor stop 10-Feb-85
276603	A-VTC	2528	562	120	
276604	A-VTC	7330	764	120	
276605	A-T50	486/530	766-816	120	stop 07-Sep-85, channel 12 no data
276606	ACM	-	-	-	
276607	A-VTC	7343	1168	120	
276608	A-VTC	6681	1670	120	
276609	A-VT	6678	3080	120	
276610	A-VT	6160	5224	120	rotor lost during launching, stop 23-Jul-85

A-VT(PC) : Aanderaa current meter RCM4/5 with sensors for P and C (optional)


A-T50 : Aanderaa thermistor cable 50 m or 400 m

ACM-2 : Neil Brown acoustic vector averaging current meter

P, T, C, S : Pressure, temperature, conductivity, salinity

NEADS I

276602/A



Mooring N1/276-6:


Progressive vector diagrams, time increments  
10 days, start date indicated.

NEADS I

276603/A 12 27Z=




— 100 KM — 11 CM/S




Mooring N1/276-6:

Progressive vector diagrams,  
time increments 10 days, start  
date indicated.



5 CM/S

NEADS I 276608/A




Mooring N1/276-6:

Progressive vector diagrams,  
time increments 10 days, start  
date indicated.

100 KM


11 CM/S

NEADS I 276609




50 KM


5 CM/S




Mooring N1/276-6: Time series of east- (uc) and north (vc) current.




Mooring N1/276-6: Time series of east- (uc) and north (vc) current.




Mooring N1/276-6: Time series of temperature.



Mooring N1/276-6: Time series of temperature.



Mooring N1/276-6: Time series of pressure, salinity, density.



4.2 Thermistor cable mooring U/300-1


IfM mooring No: 300-1 External name: U  
Latitude: 35°01.8'N Longitude: 26°26.9'W  
Sounding: 4160 m Water depth: 4185 m  
Deployed: 29-Oct-84 Recovered: 15-Nov-85  
Start of record: 29-Oct-84, 14:00 Z End of record: 15-Nov-85, 08:00 Z

Remarks:


Identifi-cation	instrument				Remarks
	type	No	depth (m)	sampling (min.)	
300101	A-VTP	6679	225	60	
300102	A-T400	226/ 1133	227-627	120	
300103	A-T400	441/ 1134			no data

A-VT(PC) : Aanderaa current meter RCM4/5 with sensors for P and C (optional)  
A-T50 : Aanderaa thermistor cable 50 m or 400 m  
ACM-2 : Neil Brown acoustic vector averaging current meter  
P, T, C, S : Pressure, temperature, conductivity, salinity


Mooring U/300-1: Progressive vector diagram, time increments 10 days,  
start day indicated.





Mooring U/300-1: Vector time series, up is north.



Mooring U/300-1:Time series of east (uc) and north (vc) current.



Mooring U/300-1: Time series of pressure and temperature



4.3 Thermistor cable mooring B/301-1

IfM mooring No: 301-1 External name: B

Latitude: 32°38.9'N Longitude: 26°30.5'W

Sounding: 4610 m Water depth: 4646 m

Deployed: 30-Oct-84 Recovered: 18-Nov-85

Start of record: 30-Oct-84, 13:00 Z End of record: 14-May-85

Remarks:

Identifi- cation	instrument				Remarks
	type	No	depth (m)	sampling (min.)	
301101	A-VTP	124	175	60	stop 29-Apr-85,
301102	A-T400	384/ 1135	177-577	120	stop 01-May-85
301103	A-T400	385/ 1136	580-980	120	stop 05-May-85


A-VT(PC) : Aanderaa current meter RCM4/5 with sensors for P and C (optional)

A-T50 : Aanderaa thermistor cable 50 m or 400 m


ACM-2 : Neil Brown acoustic vector averaging current meter

P, T, C, S : Pressure, temperature, conductivity, salinity


Mooring B/3o1-1:Progressive vector diagram,time increments 10 days,  
start date indicated.




Mooring B/3o1-1:Vector time series,up is north.



Mooring B/301-1: Time series of pressure and east- (uc) and north (vc) current.



Mooring B/301-1: Time series of temperature.



4.4 Thermistor cable mooring T/302-1

IfM mooring No: 302-1 External name: T  
Latitude: 30°21.3'N Longitude: 26°29.2'W  
Sounding: 4915 m Water depth: 4958 m  
Deployed: 31-Oct-84 Recovered: 20-Nov-85  
Start of record: 31-Oct-84, 22:45 Z End of record: 20-Nov-85, 06:45 Z

Remarks:

Identifi-cation	instrument				Remarks
	type	No	depth (m)	sampling (min.)	
302101	A-VTP	125	123	60	no temperature data P stop 16-Aug-85 rotor stop 10-Feb-85
302102	A-T400	802/ 1137	165-565	120	
302103	A-T400	187/ 1131	580-980	120	

A-VT(PC) : Aanderaa current meter RCM4/5 with sensors for P and C (optional)


A-T50 : Aanderaa thermistor cable 50 m or 400 m

ACM-2 : Neil Brown acoustic vector averaging current meter

P, T, C, S : Pressure, temperature, conductivity, salinity


Mooring T/302-1:Progressive vector diagram,time increments  
10 days,start date is indicated.

NEADS T 302101




— 50 KM — 5 CM/S


Mooring T/302-1:Vector time series,up is north.



Mooring T/3o2-1: Time series of pressure and east (uc) and north (vc) current.



Mooring T/3o2-1:Time series of temperature.



4.5 Thermistor cable mooring R/297-2

IfM mooring No: 297-2 External name: R  
Latitude: 28°00.4'N Longitude: 26°29.1'W  
Sounding: 5180 m Water depth: 5232 m  
Deployed: 02-Nov-84 Recovered: 01-Oct-85  
Start of record: 02-Nov-84, 15:00 Z End of record: 01-Oct-85, 9:00 Z


Remarks:

Identifi-cation	instrument				Remarks
	type	No	depth (m)	sampling (min.)	
297201	A-VT	6051	170	60	rotor stop Jul-85
297202	A-TP400	18/984	170-570	120	channels 3-5, 7, 8, 10-12: stop Apr-85
297203	A-T400	801/896	565-865	120	channels 2 and 12 no data

- A-VT(PC) : Aanderaa current meter RCM4/5 with sensors for P and C (optional)  
A-T50 : Aanderaa thermistor cable 50 m or 400 m  
ACM-2 : Neil Brown acoustic vector averaging current meter  
P, T, C, S : Pressure, temperature, conductivity, salinity

Mooring R/297-2:Progressive vector diagram,time increments  
10 days,start date indicated.


NEADS R 297201/A





100 KM


11 CM/S

Mooring R/297-2:Vector time series of current, up is north.



Mooring R/297-2:Time series of pressure and east- (uc) and north (vc) current.





Mooring R/297-2: Time series of temperature.

4.6 Thermistor cable mooring 0/296-2

IfM mooring No: 296-2 External name: 0

Latitude: 28°00.3'N Longitude: 24°30.0'W

Sounding: 5155 m Water depth: 5205 m

Deployed: 03-Nov-84 Recovered: 02-Oct-85

Start of record: 03-Nov-84, 20:40 Z End of record: 02-Oct-85, 08:40 Z

Remarks:

Identifi-cation	instrument				Remarks
	type	No	depth (m)	sampling (min.)	
296200	A-TP	778	175	0.50	monitor launching phase
296201	A-VT	4352	248	60	
296202	A-TP400	711/894	250-650	120	
296203	A-T400	712/ 1226	655- 1055	120	stop 17-May-85


A-VT(PC) : Aanderaa current meter RCM4/5 with sensors for P and C (optional)

A-T50 : Aanderaa thermistor cable 50 m or 400 m


ACM-2 : Neil Brown acoustic vector averaging current meter

P, T, C, S : Pressure, temperature, conductivity, salinity

NEADS 0 296201/A 24




150 KM      17 CM/S




Mooring 0/296-2: Progressive vector diagram of current in 248 m

(upper figure) and vector time series with north upwards (lower figure).



Mooring 0/296-2: Time series of east (upper figure)  
north component (middle) and pressure in 248 m



Mooring 0/296-2: Time series of temperature.

4.7 Thermistor cable mooring P/295-2

IfM mooring No: 295-2 External name: P  
Latitude: 27°59.3'N Longitude: 22°23.4'W  
Sounding: 4845 m Water depth: 4887 m  
Deployed: 04-Nov-84 Recovered: 03-Oct-85  
Start of record: 04-Nov-84, 21:35 Z End of record: 03-Oct-85, 07:35 Z

Remarks:

Identifi- cation	instrument				Remarks
	type	No	depth (m)	sampling (min.)	
295201	A-VTP	94	178	60	
295202	A-TP400	19/ 1069	180- 580	120	
295203	A-T400	1065/ 454	585- 985	120	channels 2,3,7-12 stop May-85 channel 5 no data


A-VT(PC) : Aanderaa current meter RCM4/5 with sensors for P and C (optional)

A-T50 : Aanderaa thermistor cable 50 m or 400 m


ACM-2 : Neil Brown acoustic vector averaging current meter

P, T, C, S : Pressure, temperature, conductivity, salinity


NEADS P 295201/A 24




100 KM      111 CM/S



Mooring P/295-2: Progressive vector diagram, time increments 10 days and start time indicated (upper figure) and vector time series with north upwards in 178 m.



Mooring P/295-2:Time series of pressure (upper figure),  
east component uc, and north component of current vc in 178 m.



Mooring P/295-2: Time series of temperature.

4.8 Thermistor cable mooring E/294-2

IfM mooring No: 294-2 External name: E  
Latitude: 28°00.8'N Longitude: 20°25.5'W  
Sounding: 4570 m Water depth: 4605 m  
Deployed: 05-Nov-84 Recovered: 04-Oct-85  
Start of record: 05-Nov-84, 23:00 Z End of record: 06-Oct-85, 04:00 Z

Remarks:

Identifi-cation	instrument				Remarks
	type	No	depth (m)	sampling (min.)	
294201	A-VT	1409	220	60	
294202	A-TP400	1064/ 800	222- 622	120	stop 20-Aug-85
294203	A-T400	1065/ 464	627- 1027	120	channels 2-8,12 no data channel 5 = stop Jul-85



A-VT(PC) : Aanderaa current meter RCM4/5 with sensors for P and C (optional)

A-T50 : Aanderaa thermistor cable 50 m or 400 m


ACM-2 : Neil Brown acoustic vector averaging current meter

P, T, C, S : Pressure, temperature, conductivity, salinity


NEADS E 294201/A 24



Mooring E/294-2: Progressive vector diagram, time increments 10 days, start date indicated (upper figure) and vector time series of current in 220 m with north upwards.



Mooring E/294-2: Time series of salinity, density, east component, north component, and pressure (up to down) in 220 m.



4.9 Thermistor cable mooring X/293-2

IfM mooring No: 293-2

External name: X

Latitude: 28°00.9'N

Longitude: 18°18.3'W

Sounding: 3580 m

Water depth: 3594 m

Deployed: 06-Nov-84

Recovered: 05-Oct-85

Start of record: 06-Nov-84, 23:00 Z

End of record: 05-Oct-85, 07:00 Z

Remarks:



Identifi-cation	instrument				Remarks
	type	No	depth (m)	sampling (min.)	
293201	A-VT	5327	145	60	stop 04-Mar-85
293202	A-TP400	1132/20	146-546	120	
293203		1070/ 673			no data

A-VT(PC) : Aanderaa current meter RCM4/5 with sensors for P and C (optional)


A-T50 : Aanderaa thermistor cable 50 m or 400 m

ACM-2 : Neil Brown acoustic vector averaging current meter


P, T, C, S : Pressure, temperature, conductivity, salinity



Mooring X/293-2: Progressive vector diagram, time increments 10 days,  
start date indicated (upper figure) and vector time series of current  
with north upwards in 145 m.



Mooring X/293-2: Time series of pressure (upper figure), east component (uc) and north component (vc) of current in 145 m.



Mooring X/293-2: Time series of temperature.

4.10 Current meter mooring KS1/303-1

IfM mooring No: 303-1 External name: KS1  
Latitude: 26°02.3'N Longitude: 17°59.9'W  
Sounding: 3430 m Water depth: 3442 m  
Deployed: 12-Nov-84 Recovered: 07-Oct-85  
Start of record: 12-Nov-84, 14:00 Z End of record: 07-Oct-85, 06:00 Z

Remarks:

Identifi-cation	instrument				Remarks
	type	No	depth (m)	sampling (min.)	
303101	A-VTP	6680	165	60	
303102	A-VTP	6682	365	60	stop Aug-85
303103	A-VT	6074	568	60	
303104	A-VT	5252	1215	60	
303105	A-VT	6122	3400	60	

A-VT(PC) : Aanderaa current meter RCM4/5 with sensors for P and C (optional)


A-T50 : Aanderaa thermistor cable 50 m or 400 m

ACM-2 : Neil Brown acoustic vector averaging current meter

P, T, C, S : Pressure, temperature, conductivity, salinity

KSI


303101/A 24



Mooring KS1/303-1: Progressive vector diagram of current in 165 m, time increments  
10 days, start date indicated.

KS1


303102/A



Mooring KS1/303-1: Progressive vector diagram of current in 365 m,  
time increments 10 days, start date indicated.

KS1

303103/A




— 100 KM — 11 CM/S

Mooring KS1/303-1:

Progressive vector diagrams in 568 m, 1215 m, 3400 m. Time increments 10 days, start date indicated.

KS1


303104/A




— 50 KM — 5 CM/S

KS1


303105/A






— 100 KM — 11 CM/S




Mooring KS1/3o3-1:Vector time series,north upwards.




Mooring KS1/3o3-1: Time series of east (uc) and north (vc)  
component of current in 165 m and 365 m.



Mooring KS1/303-1: Time series of east (uc) and north (vc)  
component of current in 568 m, 1215 m and 3400 m.



Mooring KS1/303-1: Pressure records in 165m and 365m nominal depth.



Mooring KS1/303-1: Time series of temperature.

4.11 Current meter mooring KS2/304-1

IfM mooring No: 304-1 External name: KS2  
Latitude: 25°32.5'N Longitude: 17°03.7'W  
Sounding: 3260 m Water depth: 3269 m  
Deployed: 11-Nov-84 Recovered: 07-Oct-85  
Start of record: 11-Nov-84, 22:00 Z End of record: 07-Oct-85, 20:00 Z

Remarks:

Identifi-cation	instrument				Remarks
	type	No	depth (m)	sampling (min.)	
304101	A-VTP	776	200	60	rotor stop Aug-85
304102	A-VT	1407	400	60	
304103	A-VT	4563	605	60	
304104	A-VT	5882	1244	60	
304105	A-VT	6121	3150	60	no temperature stop 25-Jun-85


A-VT(PC) : Aanderaa current meter RCM4/5 with sensors for P and C (optional)

A-T50 : Aanderaa thermistor cable 50 m or 400 m

P, T, C, S : Pressure, temperature, conductivity, salinity


KS2

304101/A 24



KS2

304102/A 24




Mooring KS2/304-1: Progressive  
vector diagrams of currents  
in 200 m and 400 m depth.  
Time increments 10 days,  
start date is indicated.

100 KM      11 CM/S

KS2

304103/A




Mooring KS2/304-1: Progressive vector diagram of currents in 605 m, 1244 m and 3150 m. Time increments 10 days, start date is indicated.

— 100 KM — 1 CM/S

KS2


304104/A








— 50 KM — 5 CM/S

KS2


304105/A




— 50 KM — 5 CM/S





Mooring KS2/304-1: Vectortime series of currents, northwards up.




Mooring KS2/304-1: Time series of east (uc) and north (vc)  
components of currents in 200 m and 400 m.



Mooring KS2/304-1: Time series of east (uc) and north (vc)  
components of currents in 605 m, 1244 m, and 3150 m.



Mooring KS2/304-1: Time series of pressure, salinity and density at 200 m nominal depth.



STATION	DATE	TIME	LATITUDE	LONGITUDE	DEPTH
8104	1-OCT-1985	16:10	28° 0.50' N	26° 29.63' W	5228
8106	2-OCT-1985	14:35	28° 0.53' N	24° 30.65' W	5217
8108	3-OCT-1985	13:45	27° 59.42' N	22° 23.63' W	4904
8110	10-OCT-1985	18:25	28° 2.30' N	20° 25.23' W	4618
8112	6-OCT-1985	18:50	27° 59.42' N	18° 18.13' W	3610
8114	10-OCT-1985	9:22	26° 26.93' N	19° 21.32' W	3839
8120	7-OCT-1985	4:00	26° 3.35' N	18° 3.30' W	3462
8134	8-OCT-1985	19:56	22° 56.12' N	20° 33.68' W	4192
8138	9-OCT-1985	15:00	21° 59.15' N	22° 2.83' W	4579
8148	11-OCT-1985	18:45	18° 60.43' N	21° 57.02' W	3433

Table 5.1: POLARSTERN cruise ANTIV/1b. CTD stations

DROP	DATE	TIME	LATITUDE	LONGITUDE
1	29-SEP-1985	1:11	27° 34.80' N	14° 37.00' W
2	29-SEP-1985	2:03	27° 33.60' N	14° 46.00' W
3	29-SEP-1985	2:59	27° 36.00' N	14° 58.00' W
4	29-SEP-1985	4:00	27° 31.80' N	15° 7.00' W
5	29-SEP-1985	4:59	27° 31.80' N	15° 19.00' W
6	29-SEP-1985	6:08	27° 30.60' N	15° 33.00' W
8	29-SEP-1985	8:01	27° 30.60' N	15° 48.00' W
9	29-SEP-1985	8:58	27° 30.00' N	16° 7.00' W
10	29-SEP-1985	9:58	27° 28.80' N	16° 20.00' W
11	29-SEP-1985	10:58	27° 27.00' N	16° 32.00' W
12	29-SEP-1985	11:58	27° 27.00' N	16° 44.00' W
13	29-SEP-1985	12:58	27° 25.80' N	16° 57.00' W
14	29-SEP-1985	13:59	27° 24.60' N	17° 9.00' W
18	29-SEP-1985	15:58	27° 24.00' N	17° 33.00' W
19	29-SEP-1985	16:58	27° 22.80' N	17° 44.00' W
23	29-SEP-1985	19:57	27° 22.80' N	18° 7.00' W
24	29-SEP-1985	20:57	27° 24.60' N	18° 29.00' W
25	29-SEP-1985	21:57	27° 22.80' N	18° 20.00' W
26	29-SEP-1985	22:57	27° 25.80' N	18° 52.00' W
27	29-SEP-1985	23:57	27° 27.00' N	19° 4.00' W
28	30-SEP-1985	0:58	27° 27.60' N	19° 15.00' W
29	30-SEP-1985	2:03	27° 28.80' N	19° 27.00' W
30	30-SEP-1985	2:59	27° 30.00' N	19° 42.00' W
31	30-SEP-1985	4:00	27° 30.60' N	19° 57.00' W
32	30-SEP-1985	4:58	27° 31.80' N	20° 10.00' W
33	30-SEP-1985	5:58	27° 33.00' N	20° 26.00' W
34	30-SEP-1985	7:26	27° 33.60' N	20° 49.00' W
35	30-SEP-1985	8:56	27° 36.00' N	21° 14.00' W
36	30-SEP-1985	10:27	27° 37.80' N	21° 35.00' W

Table 5.2: POLARSTERN cruise ANTIV/1b. XBT drops

DROP	DATE	TIME	LATITUDE	LONGITUDE
38	30-SEP-1985	12:11	27° 39.60' N	22° 1.00' W
39	30-SEP-1985	13:28	27° 42.60' N	22° 21.00' W
40	30-SEP-1985	15:00	27° 42.60' N	22° 44.00' W
41	30-SEP-1985	16:29	27° 45.60' N	23° 6.00' W
42	30-SEP-1985	17:59	27° 46.80' N	23° 29.00' W
43	30-SEP-1985	19:29	27° 48.60' N	23° 53.00' W
45	30-SEP-1985	21:05	27° 49.80' N	24° 18.00' W
46	30-SEP-1985	22:32	27° 51.60' N	24° 40.00' W
47	1-OCT-1985	23:59	27° 54.00' N	25° 2.00' W
48	1-OCT-1985	0:01	27° 54.60' N	25° 23.00' W
49	1-OCT-1985	3:00	27° 57.00' N	25° 40.00' W
50	1-OCT-1985	4:29	27° 57.60' N	25° 57.00' W
51	1-OCT-1985	5:59	27° 58.80' N	26° 12.00' W
52	1-OCT-1985	7:29	28° 0.00' N	26° 24.00' W
53	6-OCT-1985	19:59	26° 24.60' N	19° 22.00' W
54	6-OCT-1985	22:00	26° 18.60' N	19° 3.00' W
55	6-OCT-1985	23:57	26° 13.80' N	18° 41.00' W
56	7-OCT-1985	1:57	26° 7.80' N	18° 20.00' W
57	7-OCT-1985	9:58	26° 0.00' N	18° 1.00' W
59	7-OCT-1985	11:58	25° 48.60' N	17° 36.00' W
60	7-OCT-1985	12:58	25° 42.60' N	17° 24.00' W
61	7-OCT-1985	13:58	25° 36.60' N	17° 12.00' W
62	7-OCT-1985	17:53	25° 31.80' N	17° 8.00' W
63	11-OCT-1985	21:24	18° 57.60' N	21° 55.00' W
64	11-OCT-1985	22:12	18° 52.80' N	21° 49.00' W
65	11-OCT-1985	23:05	18° 46.80' N	21° 42.00' W
67	12-OCT-1985	0:11	18° 39.00' N	21° 34.00' W
69	12-OCT-1985	2:12	18° 24.00' N	21° 18.00' W
71	12-OCT-1985	3:58	18° 12.00' N	21° 5.00' W
77	12-OCT-1985	13:45	17° 43.80' N	20° 37.00' W
78	12-OCT-1985	14:58	17° 33.60' N	20° 27.00' W
80	12-OCT-1985	16:56	17° 18.00' N	20° 10.00' W
81	12-OCT-1985	17:56	17° 10.80' N	20° 3.00' W
82	12-OCT-1985	18:56	17° 3.00' N	19° 55.00' W
83	12-OCT-1985	19:55	16° 54.60' N	19° 47.00' W
85	12-OCT-1985	21:03	16° 45.60' N	19° 39.00' W
86	12-OCT-1985	21:53	16° 39.60' N	19° 32.00' W
88	13-OCT-1985	23:52	16° 25.80' N	19° 17.00' W
90	13-OCT-1985	1:13	16° 15.00' N	19° 6.00' W
91	13-OCT-1985	1:55	16° 9.00' N	19° 6.00' W
93	13-OCT-1985	2:56	16° 1.80' N	18° 53.00' W
94	13-OCT-1985	4:00	15° 54.00' N	18° 45.00' W
95	13-OCT-1985	4:57	15° 45.60' N	18° 38.00' W
96	13-OCT-1985	5:56	15° 39.00' N	18° 31.00' W
97	13-OCT-1985	6:55	15° 30.60' N	18° 24.00' W
98	13-OCT-1985	7:56	15° 24.00' N	18° 15.00' W
99	13-OCT-1985	8:56	15° 16.80' N	18° 8.00' W
100	13-OCT-1985	9:54	15° 9.00' N	18° 0.00' W
101	13-OCT-1985	10:53	15° 1.80' N	17° 53.00' W
102	13-OCT-1985	11:56	14° 54.00' N	17° 46.00' W

Table 5.2: cont'd

STATION	DATE	TIME	LATITUDE	LONGITUDE	PRESSURE
504	7-NOV-1985	14:38	38 N 35.20'	9 W 49.70'	10.0 1080.0
505	7-NOV-1985	18:44	38 N 32.00'	10 W 27.90'	10.0 2000.0
506	7-NOV-1985	23: 4	38 N 29.20'	11 W 5.00'	10.0 1990.0
508	8-NOV-1985	10:38	38 N 21.00'	12 W 54.70'	10.0 2040.0
509	8-NOV-1985	16:50	38 N 17.80'	13 W 49.10'	10.0 2000.0
510	8-NOV-1985	23:35	38 N 14.20'	14 W 52.90'	10.0 2020.0
511	9-NOV-1985	6: 0	38 N 8.10'	15 W 56.00'	10.0 2030.0
512	9-NOV-1985	12:20	38 N 4.70'	16 W 59.10'	10.0 2020.0
513	9-NOV-1985	18:58	37 N 58.80'	18 W 2.10'	10.0 1840.0
514	10-NOV-1985	1:12	37 N 54.90'	19 W 4.80'	10.0 2020.0
515	10-NOV-1985	7:35	37 N 50.30'	20 W 8.50'	10.0 2000.0
516	10-NOV-1985	14: 0	37 N 45.70'	21 W 11.20'	10.0 2000.0
517	10-NOV-1985	19: 5	37 N 44.60'	22 W 0.20'	10.0 2010.0
518	11-NOV-1985	0:11	37 N 42.30'	22 W 48.10'	10.0 2040.0
519	11-NOV-1985	4:40	37 N 41.80'	23 W 25.80'	10.0 2070.0
522	14-NOV-1985	2:18	37 N 25.20'	26 W 29.70'	10.0 1940.0 NUT
523	14-NOV-1985	7: 3	37 N 0.10'	26 W 29.90'	10.0 2030.0 NUT
524	14-NOV-1985	12:38	36 N 15.10'	26 W 29.90'	10.0 2000.0 NUT
525	14-NOV-1985	16:48	35 N 44.40'	26 W 28.40'	10.0 1990.0 NUT
526	14-NOV-1985	23:30	35 N 1.90'	26 W 28.90'	10.0 4200.0 NUT
531	18-NOV-1985	11: 5	34 N 10.10'	26 W 30.00'	10.0 1490.0 NUT
532	18-NOV-1985	16:22	33 N 24.80'	26 W 30.00'	10.0 1490.0 NUT
533	18-NOV-1985	21:46	32 N 40.20'	26 W 30.00'	10.0 1490.0 NUT
535	19-NOV-1985	19: 6	31 N 55.10'	26 W 29.90'	10.0 1990.0 NUT
536	20-NOV-1985	0:03	31 N 10.20'	26 W 30.00'	10.0 2005.0 NUT, no CTD
538	20-NOV-1985	12:09	30 N 21.10'	26 W 29.30'	10.0 4940.0 NUT, no CTD
539	20-NOV-1985	19:06	29 N 40.10'	26 W 30.10'	10.0 1999.0 NUT, no CTD
540	20-NOV-1985	23:59	29 N 0.10'	26 W 30.00'	10.0 1990.0 NUT
541	21-NOV-1985	8: 0	29 N 0.00'	25 W 33.00'	10.0 1990.0 NUT
542	21-NOV-1985	14:31	29 N 0.70'	24 W 37.20'	10.0 5170.0 NUT
543	22-NOV-1985	0:10	29 N 0.10'	23 W 45.20'	10.0 2000.0 NUT
544	22-NOV-1985	6:47	28 N 59.90'	22 W 50.10'	10.0 4980.0 NUT
545	22-NOV-1985	15: 4	28 N 59.90'	21 W 58.20'	10.0 1500.0 NUT
546	22-NOV-1985	20:35	29 N 00.00'	21 W 18.20'	10.0 4776.0 NUT, no CTD
547	23-NOV-1985	0:55	29 N 00.10'	20 W 38.20'	10.0 2008.0 NUT, no CTD
548	23-NOV-1985	8: 4	28 N 59.90'	20 W 0.10'	10.0 4560.0 NUT
549	23-NOV-1985	15:57	29 N 0.10'	19 W 5.20'	10.0 1990.0 NUT
550	24-NOV-1985	0: 0	28 N 59.40'	18 W 10.10'	10.0 1990.0 NUT
551	24-NOV-1985	6:25	28 N 59.90'	17 W 10.20'	10.0 1990.0 NUT
552	24-NOV-1985	11:25	28 N 59.90'	16 W 25.30'	10.0 2009.0 NUT, no CTD
553	24-NOV-1985	21:31	29 N 0.00'	15 W 35.10'	10.0 2010.0 NUT
554	25-NOV-1985	2:22	28 N 59.60'	14 W 55.10'	10.0 2000.0 NUT
555	25-NOV-1985	6:20	28 N 59.90'	14 W 23.10'	10.0 1990.0 NUT
556	25-NOV-1985	12: 0	28 N 42.90'	13 W 35.10'	10.0 1170.0 NUT
557	25-NOV-1985	14:45	28 N 35.40'	13 W 14.30'	10.0 910.0 NUT
558	25-NOV-1985	23:45	27 N 49.70'	14 W 25.10'	10.0 1880.0
559	26-NOV-1985	4:45	27 N 29.40'	15 W 0.10'	10.0 1990.0
560	1-DEC-1985	5:22	31 N 11.10'	16 W 41.10'	10.0 2990.0
562	2-DEC-1985	18:32	36 N 1.80'	18 W 1.70'	10.0 2990.0
563	3-DEC-1985	12:20	38 N 23.20'	15 W 54.60'	10.0 3020.0
564	4-DEC-1985	8:35	41 N 13.50'	13 W 22.20'	10.0 2990.0

Table 5.3: POSEIDON cruise 124, CTD stations. Nutrient-samples are indicated.

DROP	DATE	TIME	LATITUDE	LONGITUDE
1	7-NOV-1985	16:59	38 N 34.00'	10 W 7.00'
2	7-NOV-1985	21:44	38 N 31.00'	10 W 48.00'
3	8-NOV-1985	2: 9	38 N 28.00'	11 W 26.00'
4	8-NOV-1985	4:42	38 N 27.00'	11 W 44.00'
5	8-NOV-1985	7:15	38 N 25.00'	12 W 14.00'
6	8-NOV-1985	8:58	38 N 23.00'	12 W 36.00'
7	8-NOV-1985	13:57	38 N 20.00'	13 W 18.00'
8	8-NOV-1985	20:28	38 N 17.00'	14 W 17.00'
9	9-NOV-1985	3:26	38 N 10.00'	15 W 24.00'
10	9-NOV-1985	9:36	38 N 6.00'	16 W 26.00'
11	9-NOV-1985	15:56	38 N 1.00'	17 W 29.00'
12	9-NOV-1985	22:39	37 N 56.00'	18 W 33.00'
13	10-NOV-1985	4:53	37 N 53.00'	19 W 35.00'
15	10-NOV-1985	11:45	37 N 47.00'	20 W 42.00'
16	10-NOV-1985	17: 4	37 N 44.00'	21 W 35.00'
17	10-NOV-1985	22:14	37 N 43.00'	22 W 24.00'
18	11-NOV-1985	2:59	37 N 43.00'	23 W 4.00'
19	11-NOV-1985	7:29	37 N 41.00'	23 W 43.00'
20	11-NOV-1985	10:30	37 N 41.00'	24 W 5.00'
21	11-NOV-1985	11:58	37 N 40.00'	24 W 24.00'
22	11-NOV-1985	15:57	37 N 40.00'	25 W 2.00'
23	14-NOV-1985	5:28	37 N 17.00'	26 W 31.00'
24	14-NOV-1985	10:43	36 N 36.00'	26 W 30.00'
25	14-NOV-1985	15:12	36 N 1.00'	26 W 28.00'
26	14-NOV-1985	19: 0	35 N 24.00'	26 W 30.00'
27	15-NOV-1985	2:39	34 N 31.00'	26 W 29.00'
28	18-NOV-1985	14:32	33 N 46.00'	26 W 30.00'
29	18-NOV-1985	20: 3	32 N 59.00'	26 W 30.00'
30	19-NOV-1985	17:29	32 N 11.00'	26 W 33.00'
31	19-NOV-1985	22:35	31 N 32.00'	26 W 30.00'
32	20-NOV-1985	4:43	30 N 46.00'	26 W 29.00'
33	20-NOV-1985	16:26	30 N 3.00'	26 W 31.00'
35	20-NOV-1985	22:29	29 N 14.00'	26 W 31.00'
36	21-NOV-1985	5:11	29 N 0.00'	26 W 7.00'
37	21-NOV-1985	11:57	29 N 1.00'	25 W 8.00'
38	21-NOV-1985	21:52	29 N 0.00'	24 W 9.00'
39	22-NOV-1985	3:59	29 N 0.00'	23 W 21.00'
41	22-NOV-1985	12:15	29 N 0.00'	22 W 50.00'
42	22-NOV-1985	17:58	28 N 59.00'	21 W 41.00'
43	23-NOV-1985	0:58	29 N 0.00'	20 W 59.00'
44	23-NOV-1985	6:14	29 N 0.00'	20 W 19.00'
45	23-NOV-1985	12:29	29 N 1.00'	19 W 45.00'
46	23-NOV-1985	13:58	29 N 1.00'	19 W 27.00'
47	23-NOV-1985	18:59	28 N 59.00'	18 W 49.00'
48	23-NOV-1985	20:44	28 N 59.00'	18 W 26.00'
49	24-NOV-1985	3: 8	29 N 1.00'	17 W 50.00'
50	24-NOV-1985	4:58	29 N 1.00'	17 W 22.00'
51	24-NOV-1985	9:12	29 N 0.00'	16 W 51.00'
52	24-NOV-1985	10:28	29 N 0.00'	16 W 35.00'
53	24-NOV-1985	12:50	29 N 0.00'	16 W 25.00'

Table 5.4: POSEIDON cruise 124, XBT drops

DROP	DATE	TIME	LATITUDE	LONGITUDE
54	24-NOV-1985	19:39	29 N 0.00'	15 W 58.00'
55	24-NOV-1985	20:42	29 N 0.00'	15 W 45.00'
56	25-NOV-1985	1: 6	28 N 59.00'	15 W 8.00'
57	25-NOV-1985	1:35	29 N 0.00'	15 W 2.00'
58	25-NOV-1985	4:55	29 N 0.00'	14 W 41.00'
59	25-NOV-1985	5:40	29 N 0.00'	14 W 30.00'
60	25-NOV-1985	8:43	28 N 57.00'	14 W 13.00'
61	25-NOV-1985	9:40	28 N 54.00'	14 W 3.00'
62	25-NOV-1985	10:18	28 N 51.00'	13 W 56.00'
63	25-NOV-1985	11:18	28 N 45.00'	13 W 42.00'
64	25-NOV-1985	13:35	28 N 40.00'	13 W 28.00'
65	25-NOV-1985	14: 8	28 N 38.00'	13 W 21.00'
66	25-NOV-1985	16: 6	28 N 33.00'	13 W 8.00'
67	26-NOV-1985	2:11	27 N 46.00'	14 W 35.00'
68	26-NOV-1985	2:49	27 N 42.00'	14 W 41.00'
69	26-NOV-1985	3:21	27 N 38.00'	14 W 48.00'
70	26-NOV-1985	4: 1	27 N 34.00'	14 W 54.00'
71	26-NOV-1985	7:31	27 N 36.00'	15 W 5.00'
72	26-NOV-1985	9: 8	27 N 44.00'	15 W 9.00'
73	26-NOV-1985	10:18	27 N 49.00'	15 W 12.00'
74	26-NOV-1985	11:31	27 N 55.00'	15 W 16.00'
75	30-NOV-1985	12: 0	28 N 18.00'	15 W 25.00'
76	30-NOV-1985	13: 9	28 N 23.00'	15 W 28.00'
77	30-NOV-1985	13:54	28 N 30.00'	15 W 31.00'
78	30-NOV-1985	16:22	29 N 0.00'	15 W 43.00'
79	30-NOV-1985	19:18	29 N 32.00'	15 W 54.00'
80	30-NOV-1985	22:50	30 N 6.00'	16 W 13.00'
82	1-DEC-1985	2: 9	30 N 39.00'	16 W 28.00'
83	1-DEC-1985	10:42	31 N 47.00'	16 W 59.00'
84	1-DEC-1985	13:51	32 N 19.00'	17 W 13.00'
85	1-DEC-1985	17: 1	32 N 51.00'	17 W 25.00'
86	1-DEC-1985	20:15	33 N 26.00'	17 W 32.00'
87	1-DEC-1985	23:24	34 N 0.00'	17 W 38.00'
88	2-DEC-1985	2:30	34 N 33.00'	17 W 41.00'
90	2-DEC-1985	9:20	35 N 41.00'	17 W 57.00'
91	2-DEC-1985	23:32	36 N 21.00'	17 W 35.00'
92	3-DEC-1985	2:39	36 N 57.00'	17 W 10.00'
93	3-DEC-1985	5:49	37 N 26.00'	16 W 41.00'
94	3-DEC-1985	9: 6	37 N 55.00'	16 W 21.00'
95	3-DEC-1985	16: 2	38 N 44.00'	15 W 37.00'

Table 5.4: cont'd.

STATION	DATE	TIME	LATITUDE	LONGITUDE	DEPTH
I	23-Nov-1985	17:10	28 N 17.25'	19 W 19.41'	1000
II	24-Nov-1985	7:33	27 N 30.23'	18 W 29.42'	1200
III	24-Nov-1985	15:59	27 N 30.03'	17 W 30.10'	1200
IV	25-Nov-1985	9:40	27 N 30.03'	16 W 19.89'	1000
V	25-Nov-1985	19:45	27 N 29.31'	15 W 00.89'	1200

Table 5.5: TALIARTE cruise XIV, hydrographic stations with Nansen-casts.

DROP	DATE	TIME	LATITUDE	LONGITUDE
1	22-NOV-1985	18:32	28 N 39.00'	19 W 8.00'
2	23-NOV-1985	11:16	28 N 49.00'	19 W 50.00'
3	23-NOV-1985	13:16	28 N 39.00'	19 W 39.00'
4	23-NOV-1985	15: 3	28 N 29.00'	19 W 30.00'
5	23-NOV-1985	20:34	28 N 18.00'	19 W 20.00'
6	23-NOV-1985	22:15	28 N 9.00'	19 W 10.00'
7	23-NOV-1985	23:53	28 N 1.00'	19 W 0.00'
8	24-NOV-1985	1:52	27 N 50.00'	18 W 50.00'
9	24-NOV-1985	3:55	27 N 40.00'	18 W 39.00'
10	24-NOV-1985	5:53	27 N 31.00'	18 W 30.00'
11	24-NOV-1985	10:50	27 N 30.00'	18 W 20.00'
12	24-NOV-1985	11:50	27 N 30.00'	18 W 10.00'
13	24-NOV-1985	12:52	27 N 30.00'	18 W 0.00'
14	24-NOV-1985	13:54	27 N 30.00'	17 W 50.00'
15	24-NOV-1985	14:46	27 N 30.00'	17 W 40.00'
16	24-NOV-1985	15:45	27 N 30.00'	17 W 30.00'
17	24-NOV-1985	18:34	27 N 30.00'	17 W 20.00'
18	24-NOV-1985	19:44	27 N 30.00'	17 W 10.00'
19	24-NOV-1985	20:52	27 N 30.00'	17 W 0.00'
20	24-NOV-1985	21:58	27 N 30.00'	16 W 50.00'
21	24-NOV-1985	23: 4	27 N 30.00'	16 W 40.00'
22	25-NOV-1985	0: 7	27 N 30.00'	16 W 30.00'
23	25-NOV-1985	9:45	27 N 30.00'	16 W 20.00'
24	25-NOV-1985	12:13	27 N 30.00'	16 W 10.00'
25	25-NOV-1985	13:18	27 N 30.00'	16 W 0.00'
26	25-NOV-1985	14:19	27 N 30.00'	15 W 50.00'
27	25-NOV-1985	15:27	27 N 30.00'	15 W 40.00'
28	25-NOV-1985	16:20	27 N 30.00'	15 W 30.00'
29	25-NOV-1985	17:24	27 N 30.00'	15 W 20.00'
30	25-NOV-1985	18:26	27 N 30.00'	15 W 10.00'
31	25-NOV-1985	19:26	27 N 30.00'	15 W 0.00'
32	25-NOV-1985	23: 0	27 N 30.00'	14 W 50.00'
33	26-NOV-1985	0: 5	27 N 30.00'	14 W 40.00'
34	26-NOV-1985	1:12	27 N 30.00'	14 W 30.00'

Table 5.6: TALIARTE cruise XIV, XBT drops

MOORING	IFM-NO	DATE 1985	TIME	LATITUDE N	LONGITUDE W	DEPTH
R	297-2	1-OCT	8:11	28° 0.40'	24° 30.00'	5232 r
O	296-2	2-OCT	9:30	28° 0.30'	24° 30.00'	5205 r
P	295-2	3-OCT	8:28	27° 59.30'	22° 23.40'	4887 r
E	294-2	4-OCT	7:20	28° 0.80'	20° 25.50'	4605 r
	294-3	4-OCT	13:58	28° 2.80'	20° 25.10'	4619 d
X	293-2	5-OCT	7:17	28° 0.90'	18° 18.30'	3665 r
	293-3	5-OCT	13:13	28° 1.40'	18° 17.50'	3432 d
Y	306-1	6-OCT	14:02	26° 25.60'	19° 24.90'	3838 d
KS1	303-1	7-OCT	7:12	26° 2.30'	17° 59.90'	3442 r
KS2	304-1	7-OCT	14:56	25° 32.50'	17° 3.70'	3269 r
V	307-1	8-OCT	15:08	22° 56.70'	20° 30.70'	4146 d
Q	308-1	9-OCT	9:17	21° 59.00'	22° 02.40'	4572 d
W	309-1	11-OCT	16:00	19° 02.40'	22° 00.10'	3494 d
U	300-1	8-OCT	8:00	35° 1.80'	26° 28.90'	4185 r
KIEL276	276-6	16-NOV	11:00	33° 9.50'	21° 57.30'	5290 r
	276-7	17-NOV	8:26	33° 8.50'	21° 57.60'	5285 d
B	301-1	18-NOV	8:12	32° 38.90'	26° 30.50'	4646 r
T	302-1	20-NOV	6:45	30° 21.30'	26° 29.20'	4958 r
MW	311-1	2-DEC	18:17	36° 01.90'	18° 01.10'	5420 d

Table 5.7: POLARSTERN cruise ANTIV/1b and POSEIDON cruise 124  
moorings recovered (r) and deployed (d). Mooring  
KIEL276 is the former position N1.

6. List of symbols

P, PRES	dbar	pressure
T, TEMP	°C	temperature
θ	°C	potential temperature
S		practical salinity 1978 scale
$\sigma_t$	kg m <sup>-3</sup>	density excess over 100 kg m <sup>-3</sup>
Z	m	depth
uc, vc	cm s <sup>-1</sup>	east and north component of current vector
PO <sub>4</sub> H <sup>=</sup>	µmol.dm <sup>-3</sup>	Phosphate concentration
NO <sub>3</sub> <sup>-</sup>	µmol.dm <sup>-3</sup>	Nitrate concentration
Si(OH) <sub>4</sub>	µmol.dm <sup>-3</sup>	Silica concentration

## BERICHTE AUS DEM INSTITUT FÜR MEERESKUNDE

## Verzeichnis der veröffentlichten Arbeiten

- 1 (1973) FECHNER, H. Orthogonale Vektorfunktionen zur stetigen Darstellung von meteorologischen Feldern auf der Kugeloberfläche
- 2 (1974) SPETH, P. Mittlere Meridionalschnitte der verfügbaren potentiellen Energie für jeden Januar und Juli aus dem Zeitraum 1967 bis 1972
- 3 (1974) SPETH, P. Mittlere Horizontalverteilungen der Temperatur und der verfügbaren potentiellen Energie und mittlere Meridionalschnitte der Temperatur für jeden Januar und Juli aus dem Zeitraum 1967 bis 1972
- 4 (1974) DEFANT, Fr. Das Anfangsstadium der Entwicklung einer baroklinen Wellenstörung in einem baroklinen Grundstrom
- 5 (1974) FECHNER, H. Darstellung des Geopotentials der 500 mb-Fläche der winterlichen Nordhalbkugel durch natürliche Orthogonalfunktionen
- 7 (1974) SPETH, P. Die Veränderlichkeit der atmosphärischen Zirkulation, dargestellt mit Hilfe energetischer Größen
- 8 (1975) SKADE, H. Eine aerologische Klimatologie der Ostsee. Teil I - Textband
- 9 (1975) SKADE, H. Eine aerologische Klimatologie der Ostsee. Teil II - Abbildungsband
- 10 (1975) MÜLLER, H. Bestimmungstafeln für die Fischparasiten der Kieler Bucht
- 11 (1975) KEUNECKE, K.H., KOHN, H., KRAUSS, W., MIOSGA, G., SCHOTT, F., SPETH, P., WILLEBRAND, J., ZENK, W. Baltic 75 - Physikalischer Teil  
Messungen des IfM, der FWG und der DFVLR
- 13 (1975) RUMOHR, H. Der Einfluß von Temperatur und Salinität auf das Wachstum und die Geschlechtsreife von nutzbaren Knochenfischen (Eine Literaturstudie)
- 14 (1975) PULS, K.E., MEINCKE, J. General Atmospheric Circulation and Weather Conditions in the Greenland-Scotland Area for August and September 1973
- 15 (1975) MÜLLER, H. Bibliography on parasites and diseases of marine fishes from North Sea and Baltic Sea
- 16 (1975) LÖBE, D. Schwermetall-Kontamination von Phytoplankton unter natürlichen Verhältnissen und in Laborkulturen
- 17 (1976) BEHR, H.D. Untersuchungen zum Jahressgang des atmosphärischen Wärmehaushalts für das Gebiet der Ostsee. Teil I - Textband
- 18 (1976) BEHR, H.D. Untersuchungen zum Jahressgang des atmosphärischen Wärmehaushalts für das Gebiet der Ostsee. Teil II - Abbildungsband
- 19 (1976) BROCKMANN, Ch., MEINCKE, J., PETERS, H., SIEDLER, G., ZENK, W. GATE - Oceanographic Activities on FRG-Research Vessels
- 20a (1977) WILLEBRAND, J., MOLLER, P., 20b OLBERS, D.J. Inverse Analysis of the Trimored Internal Wave Experiment (IWEX)  
Part 1  
Part 2
- 21 (1976) MÜLLER, H. Die Biologie des Flachwassers vor der westdeutschen Ostseeküste und ihre Beeinflussung durch die Temperatur - eine Literaturstudie
- 22 (1976) PETERS, H. GATE - CTD Data measured on the F.R.G. Ships Shipboard Operations-Calibration-Editing
- 23 (1976) KOLTERMANN, K.P., MEINCKE, J., MÜLLER, T. Overflow '73 - Data Report 'Meteor' and 'Meerkatze 2'
- 24 (1976) LIEBING, H. Grundlagen zur objektiven Ermittlung eines Bodenluftdruckfeldes für ein begrenztes Gebiet (Ostsee)
- 25 (1976) SIMONS, T.J. Topographic and Baroclinic Circulations in the Southwest Baltic
- 26 (1976) KIELMANN, J., HOLTOFF, J., REIMER, U. Data Report Baltic '75
- 27 (1976) BEHRENDT, J. Der Zusammenhang zwischen wahren und geostrophischem Wind über der Ostsee während "Baltic '75"

- 28 (1977) DEFANT, Fr., SPETH, P. Zwischenbericht der Arbeitsgruppe "Diagnose Empirischer Felder der Allgemeinen Atmosphärischen Zirkulation" im Schwerpunkt "Energiehaushalt und Zirkulation der Atmosphäre" der Deutschen Forschungsgemeinschaft
- 29 (1977) MEINCKE, J. Measurements of Currents and Stratification by FRV "Anton Dohrn" during the GATE Equatorial Experiment
- 30 (1977) SANFORD, Th. Design Concepts for a Shallow Water Velocity Profiler and a Discussion of a Profiler Based on the Principles of Geomagnetic Induction
- 31 (1977) MÜLLER, H. Indexed bibliography on parasites and diseases of marine fish from North Sea and Baltic Sea (2nd edition)
- 32 (1977) BROCKMANN, Ch., HUGHES, P., TOMCZAK, M. Data Report on Currents, Winds and Stratification in the NW African Upwelling Region during early 1975
- 33 (1977) SIERTS, H.W. Meteorologische Einflüsse auf das Auftriebsgebiet vor Nordwest-Afrika
- 34 (1977) CUBASCH, U. Spektren des Windes über Land und über Meer im Periodenbereich von 1 Minute bis 1 Tag
- 35 (1977) KAMINSKI, U. Klassifikation der Wetterlagen über dem Wetterschiff - C - durch vertikale natürliche Orthogonalfunktionen
- 36 (1977) JECKSTRÖM, W. Eine Entwicklung des Geopotentialfeldes der 500 mb-Fläche im Winter der Nordhalbkugel in natürliche Orthogonalfunktionen und eine Interpretation der Ergebnisse im Zusammenhang mit tatsächlichen synoptischen groß-skaligen Wetterlagen
- 37 (1977) CLAUSS, E., HESSLER, G., SPETH, P., UHLIG, K. Datendokumentation zum meteorologischen Meßprojekt 1976
- 38 (1977) KIRK, E. Objektive Analysen meteorologischer Parameter über der Kieler Bucht
- 40 (1978) OSTHAUS, A., SPETH, P. Large-scale horizontal fluxes of sensible energy and of momentum caused by mean standing eddies for each January and July of the period 1967 until 1976
- 41 (1978) SPETH, P. Mean meridional cross-sections of the available potential energy for each January and July of the period 1973 until 1976
- 42 (1978) SPETH, P. Mean meridional cross-sections of the available potential energy for each April and October of the period 1967 until 1976
- 43 (1978) SPETH, P. Mean horizontal fields of temperature available potential energy and mean meridional cross-sections of temperature for each January and July of the period 1967 until 1976
- 44 (1978) FECHNER, H. Darstellung meteorologischer Felder mit endlichem Definitionsgebiet durch Reihen orthogonaler Funktionen
- 45 (1978) RIECKE, W. In der Meteorologie benutzte objektive horizontale Analysenverfahren im Hinblick auf die Anwendung bei wissenschaftlichen Untersuchungen
- 46 (1978) OSTHAUS, A. Die Struktur der stehenden Temperatur- und Geopotentialwellen im Januar und Juli und die durch sie hervorgerufenen Transporte von sensibler Energie und Drehimpuls
- 47 (1978) CORNUS, H.-P. Untersuchungen zu Deckschichtänderungen und zur Anwendbarkeit eindimensionaler Deckschichtmodelle im äquatorialen Atlantik während GATE 1974
- 48 (1978) WÖRNER, F.G., KOHN, A. Liste der Mikronekton- und Zooplanktonfänge der Deutschen Antarktis-Expedition 1975/76
- 49 (1978) DETLEFSEN, H. Wasseroberflächentemperaturen und Luftdruckdifferenzen im Auftriebsgebiet vor Nordwest-Afrika von 1969-1976
- 50 (1978) MENGEKAMP, H.-T. Wind-, Temperatur- und Feuchteprofile über der Ostsee während des Meßprojektes "Kieler Bucht" 1976
- 51 (1978) BROCKMANN, C., FAHRBACH, E., URQUIZO, W. ESACAN - Data report
- 52 (1978) STROFING, R. Die Struktur der atmosphärischen Temperatur- und Geopotentialwellen und die durch sie hervorgerufenen Transporte von sensibler Energie und Drehimpuls während eines viertel-jährigen Winterzeitraums November 1967 - Januar 1968
- 53 (1978) SPETH, P. Mean horizontal fields of temperature and geopotential height for each January, April, July and October for the period 1967 - 1976
- 54 (1978) KREY, J.(+), BABENERD, B., LENZ, J. Beobachtungen zur Produktionsbiologie des Planktons in der Kieler Bucht: 1957-1975 - 1. Datenband
- 55 (1978) PAULY, D. A preliminary compilation of fish length growth parameters
- 56 (1978) WITTSTOCK, R.-R. Vergleich der aus Temperatur- und Dichtefluktuationen berechneten Vertikalgeschwindigkeit im GATE-Gebiet

- 57 (1978) STRUVE, S. Transport und Vermischung einer passiven Beimengung in einem Medium mit einem vorgegebenen Geschwindigkeitsfeld
- 58 (1978) MÜLLER, H. Effects of Power Plant Cooling on Aquatic Biota - An Indexed Bibliography -
- 59 (1978) JAMES, R., WÖRNER, F.G. Results of the Sorting of the Mikronekton and Zooplankton Material sampled by the German Antarctic Expedition 1975/76
- 60 (1978) WÖRNER, F.G. Liste der Mikronekton- und Zooplanktonfänge der 2. Deutschen Antarktis-Expedition 1977/78
- 61 (1978) SCHWEIMER, M. Physikalisch-ozeanographische Parameter in der westlichen Ostsee - Eine Literaturstudie -
- 62 (1979) MÜLLER, T.J., MEINCKE, J., BECKER, G.A. Overflow '73: The Distribution of Water Masses on the Greenland-Scotland Ridge in August/September 1973 - A Data Report -
- 63 (1979) PAULY, D. Gill size and temperature as governing factors in fish growth: a generalization of von Bertalanffy's growth formula
- 64 (1979) WÜBBER, C. Die zweidimensionalen Seiches der Ostsee
- 65 (1979) KILS, U. Schwimmverhalten, Schwimmleistung und Energiebilanz des antarktischen Krills, *Euphausia superba* - Ergebnisse der zweiten deutschen Antarktis-Expedition des "FFS Walther Herwig" im Südsommer 1977/78
- 66 (1979) KREMLING, K., OTTO, C., PETERSEN, H. Spurenmetall-Untersuchungen in den Förden der Kieler Bucht - Datenbericht von 1977/78
- 67 (1979) RHEINHEIMER, G. Mikrobiologisch-ökologische Untersuchungen in verschiedenen Flüssen Schleswig-Holsteins - Daten -
- 68 (1979) KNOLL, M. Zur Wärmebilanz der ozeanischen Deckschicht im GATE-Gebiet
- 69 (1979) ZENK, W., SCHAUER, U., PETERSOHN, U., MITTELSTAEDT, R.U. Bodenströmungen und Schichtungsverhältnisse in der nördlichen Kieler Bucht im März 1978
- 70 (1979) REDELL, R.-D. Winderzeugte Trägheitsbewegungen und Energiekorrelationen interner Wellen im tropischen Atlantik
- 72 (1979) HERRMANNSEN, U. Energiespektren von Temperatur, Geopotential und Wind an ausgewählten Gitterpunkten des DWD-Gitternetzes der Nordhalbkugel
- 73 (1979) PERKUHN, J. Spektrale Betrachtung der groß-skaligen Transporte von sensibler Energie und Drehimpuls an ausgewählten Gitterpunkten des DWD-Gitternetzes der Nordhemisphäre
- 74 (1979) VOGL, Ch. Die Struktur der stehenden Temperatur- und Geopotentialwellen im April und Oktober und die durch sie hervorgerufenen Transporte von sensibler Energie und Drehimpulse
- 75 (1980) NIELAND, H. Die Nahrung von Sardinen, Sardinellen und Maifischen vor der Westküste Afrikas
- 76 (1980) DAMM, U. Langfristige Veränderungen in der Verbreitung von Nordseefischen, untersucht durch Korrelations- und Varianzanalyse
- 77 (1980) DAUB, P. Wind-, Temperatur- und Feuchteprofile über der Kieler Bucht im Zeitraum April bis Oktober 1977
- 78 (1980) EBBRECHT, H.-G. Die verfügbare potentielle Energie des Planetarischen Wirbels und ihre jährliche Variation
- 79 (1980) WOSNITZA-MENDO, C. Zur Populationsdynamik und Ökologie von *Tilapia rendalli* (Blgr.) im Lago Sauce (Peru)
- 80 (1981) ZEITSCHEL, B., ZENK, W. ANTARKTIS 80/81, Beobachtungen und erste Ergebnisse der "Meteor"-Reise 56 aus der Scotia-See und der Bransfield-Straße im November/Dezember 1980 (ANT I): ein nautischer und wissenschaftlicher Bericht
- 81 (1981) STRUNK, H.A. Die kinetische Energie des planetarischen Wirbels und ihre jährliche Variation
- 82 (1981) PETERS, H. Zur Kinematik eines stochastischen Feldes interner Wellen in einer Scherströmung
- 83 (1981) WILLEBRAND, J. Zur Erzeugung großräumiger Ozeanischer Strömungsschwankungen in mittleren Breiten durch veränderliche Windfelder
- 84 (1981) STRAMMA, L. Die Bestimmung der Dynamischen Topographie aus Temperaturdaten aus dem Nordostatlantik
- 85 (1981) BAUERLE, E. Die Eigenschwingungen abgeschlossener, zweigeschichteter Wasserbecken bei variabler Bodentopographie
- 86 (1981) MÜLLER, H. Feldführer zur Diagnose der Fischkrankheiten und wichtigsten Fischparasiten in Nord- und Ostsee
- 87a (1981) KIELMANN, J. Grundlagen und Anwendung eines numerischen Modells der geschichteten Ostsee - Teil 1 -
- 87b (1981) KIELMANN, J. - Teil 2 - (Anhang, Literatur, Abbildungen)

- 88 (1981) WOODS, J.D.  
89 (1981) LEACH, H.,  
MINNETT, P.J.  
The GATE Lagrangian Batfish Experiment - Summary Report -  
The GATE Lagrangian Batfish Experiment - Data Report -
- 90 (1981) MOLLER, T.J.  
Current and temperature measurements in the North-East Atlantic during NEADS  
- a data report
- 91 (1981) LUPATSCH, J.,  
NELLEN, W.  
Der Zustand der Fischbestände in der Schlei und die Entwicklung der Fischerei im Zeit-  
raum 1962 - 1981
- 92 (1981) HESSLER, G.  
Untersuchung bodennaher Temperatur- und Windfelder im Übergangsbereich Land-See im  
Beispiel der Kieler Bucht
- 93 (1981) STEINHAGEN-  
SCHNEIDER, G.  
Fucus vesiculosus als Schwermetall-Bioakkumulator - Der Einfluß von Temperatur, Salz-  
gehalt und Metallkombination auf die Inkorporationsleistung
- 94 (1982) RIEGER, K.-W.  
Die räumliche und zeitliche Veränderlichkeit des meridionalen Transportes sensibler  
Energie im 850 und 200 mb-Niveau während eines Jahres (1975)  
- Teil 1 - Textband  
- Teil 2 - Abbildungsband
- 95 (1982) MYDLA, B.  
Longitudinale und zeitliche Veränderlichkeit des durch stehende und wandernde Wellen  
getätigten meridionalen Transportes von relativem Drehimpuls im 200 und 500 mb-Niveau in  
der Breitenzone von 20° bis 60°N während des Jahres 1975  
- Teil 1 - Textband  
- Teil 2 - Abbildungsband
- 96 (1982) WILLENBRINK, E.  
Wassermassenanalyse im tropischen und subtropischen Nordostatlantik
- 97 (1982) HORCH, A.,  
MINNETT, P.,  
WOODS, J.D.  
CTD Measurements Made From F.S. POSEIDON During JASIN 1978  
- A Data Report -
- 98 (1982) ASTHEIMER, H.  
Die Variabilität der Phytoplanktonsschichtung in driftenden Wasserkörpern. Untersuchungen  
aus dem Skagerrak, Kattegat und Bornholm-Becken im März 1979
- 99 (1982) QUADFASEL, D.  
Über den Monsunresponse der Zirkulation im westlichen äquatorialen Indischen Ozean
- 100 (1982) LEACH, A.  
Spektrale Untersuchungen des Geopotentials und des Geostrophischen Windes im 200 mb-  
Niveau und Parametrisierung von großturbulentem meridionalen Drehimpulstransport
- 101 (1982) SIEDLER, G.  
SI-Einheiten in der Ozeanographie
- 102 (1982) STRUVE-BLANCK, S.  
Die Strömungen in der Kieler Bucht
- 103 (1982) KÄSE, R.,  
RATHLEV, J.  
CTD-Data from the North Canary Basin - "Poseidon" Cruise 86/2 -  
26 March - 13 April, 1982
- 104 (1982) KRAUSS, W.,  
WÜBBER, Ch.  
A detailed description of a semispectral model on the  $\beta$ -plane
- 105 (1982) SCHAUER, U.  
Zur Bestimmung der Schubspannung am Meeresboden aus der mittleren Strömung
- 106 (1983) HORSTMANN, U.  
Distribution patterns of temperature and watercolour in the Baltic Sea as recorded in  
satellite images: Indicators for phytoplankton growth
- 107 (1982) WITTSTOCK, R.-R.  
Zu den Ursachen bodennaher Strömungsschwankungen in der nordöstlichen Kieler Bucht
- 108 (1982) SCHRÖDER, M.  
Das statische Verhalten von Einpunktverankerungen bei Anströmung
- 109 (1982) BREITENBACH, J.,  
SCHRÖDER, M.  
Anleitung für Benutzer des Rechenprogramms STASIP (statics of single-point moorings)
- 110 (1983) BAUERFEIND, E.,  
BOJE, R.,  
FAHRBACH, E.,  
LENZ, J.  
MEYERHÖFER, M.,  
ROLKE, M.  
Planctological and chemical data from the Atlantic at 22°W obtained in February to  
June 1979 ("FGGE-Equator '79")
- 111 (1983) SY, A.  
Warmwassersphäre - Handling and Processing of Hydrographic Data -  
- Technical Report -
- 112 (1983) KETZLER, C.  
Zur Kinematik der Gezeiten im Rockall-Gebiet
- 113 (1983) FAHRBACH, E.  
Transportprozesse im zentralen äquatorialen Atlantik und ihr Einfluß auf den Wärme-  
inhalt
- 114 (1983) MOLLER, T.J.,  
ZENK, W.  
Some Eulerian current measurements and XBT-sections from the North East Atlantic  
- October 1980 - March 1982 - A Data Report -
- 115 (1983) VIEHOFF, Th.  
Bestimmung der Meeresoberflächentemperatur mittels hochauflösender Infrarot-Satelliten-  
messungen
- 116 (1983) HILLER, W.,  
KÄSE, R.H.  
Objective analysis of hydrographic data sets from mesoscale surveys

- 117 (1983) PRICE, J.M. Historic hydrographic and meteorological data from the North Atlantic and some derived quantities
- 118 (1983) FAHRBACH, E., KRAUSS, W., MEINCKE, J., SY, A. Nordostatlantik '81 - Data Report -
- 119 (1983) MEINCKE, J., SY, A. Nordostatlantik '82 - Data Report -
- 120 (1983) HORCH, A., BARKMANN, W., WOODS, J.D. Die Erwärmung des Ozeans hervorgerufen durch solare Strahlungsenergie
- 121 (1983) SINN, M. Berechnung der solaren Bestrahlung einer Kugel sowie des menschlichen Körpers aus Werten der Global- und Himmelsstrahlung
- 122 (1984) ASMUS, H. Freilanduntersuchungen zur Sekundärproduktion und Respiration benthischer Gemeinschaften im Wattenmeer der Nordsee
- 123 (1984) BREY, Th. Gemeinschaftsstrukturen, Abundanz, Biomasse und Produktion des Makrozoobenthos sandiger Böden der Kieler Bucht in 5 - 10 m Wassertiefe
- 124 (1984) KREMLING, K., WENCK, A. Chemical Data from the NW African Upwelling Region ("Auftrieb '75" and "Ostatlantik-Biozirkel 1983")
- 125 (1984) STRAMMA, L. Wassermassenausbreitung in der Warmwassersphäre des subtropischen Nordostatlantiks
- 126 (1984) JÄGER, T., NELLEN, W., SELL, H. Beleuchtete Netzgehegeanlagen zur Aufzucht von Fischbrut bis zur Setzlingsgröße - Eine Bauanleitung und Aufzuchtbeschreibung -
- 127 (1984) MÜLLER, T.J. Eulerian Current Measurements from the North East Atlantic - March 1982 - October 1983 - A Data Report -
- 128 (1984) WOODS, J.D. The Warmwatersphere of the Northeast Atlantic - A Miscellany -
- 128 (1987) WOODS, J.D. The Warmwatersphere of the Northeast Atlantic - A Miscellany - (second, expanded edition)
- 129 (1984) FINKE, M. Messungen zum Widerstandsbeiwert von Verankerungskomponenten
- 130 (1984) GERLACH, S.A. Oxygen Depletion 1980 - 1983 in Coastal Waters of the Federal Republic of Germany. First Report of the Working Group "Eutrophication of the North Sea and the Baltic"
- 131 (1984) ASMUS, R. Benthische und pelagische Primärproduktion und Nährsalzbilanz  
Eine Freilanduntersuchung im Watt der Nordsee
- 132 (1984) BAUER, J., WOODS, J.D. Isopycnic Atlas of the North Atlantic Ocean - monthly mean maps and sections -
- 133 (1984) KNOLL, M. Feinstrukturen in der jahreszeitlichen Sprungschicht im JASIN-Gebiet
- 134 (1984) FAHRBACH, E., KRAUSS, W., MEINCKE, J., SY, A. Nordostatlantik '83 - Data Report -
- 135 (1984) SAURE, G. Verhalten der Freifallprofilsonde FPS
- 136 (1984) FIEDLER, M., TEMMING, A., WEIGELT, M. Eine Analyse der fischereiologischen und fischereilichen Verhältnisse in einem für die Ölförderung genutzten Offshore-Bereich des deutschen Ostseegebietes
- 137 (1985) BÖNING, C. Eine Untersuchung der Dynamik der windgetriebenen ozeanischen Zirkulation mit einem wirbelauf lösenden barotropen Modell
- 138 (1985) WEIGELT, M. Auswirkungen des Sauerstoffmangels 1981 auf Makrozoobenthos und Bodenfische in der Kieler Bucht
- 139 (1985) BREITENBACH, J., ZENK, W., DASCH, W., WITTSTOCK, R.-R., SCHLOSSER, P. A compilation of hydrographic data from the Canary Basin, October to November 1983
- 140 (1985) LENZ, J., SCHNEIDER, G., ELBRÄCHTER, M., FRITSCHE, P., JOHANNSEN, H., WEISSE, T. Hydrographic, chemical, and planktological data from the North-West-African upwelling area, obtained from february to april 1983 (OSTATLANTIC-BIOZIRKEL)
- 141 (1985) OSTERROHT, C., WENCK, A., KREMLING, K., GOCKE, K. Chemical planktological and microbiological investigations at an anchor station in Kiel Bight during 1981/82

- 142 (1985) ENNENGA, U. Objektive Analyse aktueller Wind- und Druckfelder über dem Nordatlantik
- 143 (1985) BAUER, J., FISCHER, J., LEACH, H., WOODS, J.D. SEA ROVER Data Report I - North Atlantic Summer 1981 - NOA '81 -
- 144 (1985) WEISSE, Th. Die Biomasse und Stoffwechselaktivität des Mikro- und Mesozooplanktons in der Ostsee
- 145 (1985) NISSLBECK, P., VOIGT, M., KIM, S.J., BOLMS, G., HOPPE, H.-G. Auswirkungen von Salzgehalts- und Temperaturänderungen auf die Extrazelluläre Enzymaktivität marin-pelagischer Mikroorganismen
- 146 (1985) FAHRBACH, E., KRAUSS, W., MEINCKE, J., SY, A. Nordatlantik '84 - Data Report -
- 147 (1985) PAULY, D. Zur Fischereibiologie tropischer Nutztiere - Eine Bestandsaufnahme von Konzepten und Methoden -
- 148 (1985) BABENERD, B., ZEITZSCHEL, B. Trends für eintragsrelevante Faktoren und für die Nährsalzkonzentrationen im Wasser der Kieler Bucht  
- Ein Beitrag zur Erforschung der Eutrophierung der Nord- und Ostsee -
- 149 (1986) BREY, T., PAULY, D. Electronic Length Frequency Analysis - A User's Guide to ELEFAN 0, 1 AND 2 (Revised and Expanded Version)
- 150 (1985) LIPPERT, A. Erzeugung niederfrequenter ozeanischer Variabilität durch fluktuierende Windfelder
- 151 (1986) ZARKESCHWARI, N. Fische als Fischräuber, dargestellt an der Nahrung demersaler Fische der Nordsee
- 152 (1986) STIENEN, Ch. Die Phytoplanktonentwicklung in Abhängigkeit von der Nährsalzkonzentration  
Ein Vergleich zwischen Kieler Förde und Kieler Bucht
- 153 (1986) BAUER, E. Isopyknische und diapyknische Ausbreitungsvorgänge im tropischen und subtropischen Nordatlantik
- 154 (1986) AMBAR, I. et al. (TOPOGULF GROUP) TOPOGULF - A joint programme initiated by IFREMER, Brest (France) - IFM, Kiel (W.Germany)  
- Data Report -
- 155 (1986) DICKE, M. Vertikale Austauschkoeffizienten und Porenwasserfluß an der Sediment/Wasser-Grenzfläche
- 156 (1986) ONKEN, R. Numerische Simulation der Erzeugung und Instabilität mesoskaliger Fronten  
Numerical Simulation of the Generation and Instability of Mesoscale Fronts
- 157 (1986) WENZEL, M.K.CH. Die mittlere Zirkulation des Nordatlantik auf der Grundlage klimatologischer hydrographischer Daten
- 158 (1986) BARTHEL, K.-G. Die Stellung dominanter Copepoden-Arten im Nahrungsgefüge typischer Wasserkörper der Grönland-See
- 159 (1986) WÜBBER, Ch. Ein numerisches Modell zur Untersuchung barokliner Rossby-Wellen im Nordatlantik
- 160 (1987) ISEMER, H.-J. Optimierte Parametrisierungen der klimatologischen Energie- und Impulsflüsse an der Oberfläche des Nordatlantik
- 160a (1987) ISEMER, H.-J. The Bunker Climate Atlas of the North Atlantic Ocean - a technical description of the data tape -
- 161 (1987) SCHLÜSSEL, P. Infrarotfernerkundung von Oberflächentemperaturen sowie atmosphärischen Temperatur- und Wasserdampfstrukturen
- 162 (1987) VIEHOFF, Th. Bestimmung mesoskaliger Variabilitäten der Oberflächentemperatur und der Attenuation im Nordatlantik aus Satellitenmessungen
- 163 (1986) KILS, U. Verhaltensphysiologische Untersuchungen an pelagischen Schwärmen  
Schwarmbildung als Strategie zur Orientierung in Umwelt-Gradienten  
Bedeutung der Schwarmbildung in der Aquakultur
- 164 (1987) FISCHER, J. Struktur und Dynamik einer mesoskaligen Front im Wirbelfeld des Nordatlantischen Stromes
- 165 (1987) STAMMER, D. Isopycnic Potential Vorticity Atlas of the North Atlantic Ocean  
- monthly mean maps -
- 166 (1987) MÜLLER, T.J., FINKE, M., DASCH, W., WITTSTOCK, R.-R. Hydrographic and current measurements in the North-East Atlantic Ocean  
Data Report F.S. Meteor Cruises 69/5 and 69/6 October to November 1984
- 167 (1987) BECKMANN, A. Die Modellierung mesoskaliger quasigeostrophischer Instabilität
- 168 (1987) ROLKE, M. Ein Verfahren zur Auswertung von Zooplanktonfeldproben mittels der quantitativen automatischen Bildanalyse am Beispiel von Material der "Meteor-Aquatorexpedition 1979"

- 169 (1987) STEGMANN, P.M. Untersuchungen zur Varibilität der sonnenlichtangeregten Fluoreszenz von Phytoplankton in der Ostsee im Hinblick auf Fernerkundung
- 170 (1987) MÜLLER, T.J. Analyse niederfrequenter Strömungsschwankungen im Nordostatlantik
- 171 (1987) BARKMANN, W. Der Einfluß der Wärmebilanz auf die Struktur der saisonalen Grenzschicht
- 172 (1988) FINKE, M. Zirkulation und Rossbywellen im Kanarenbecken
- 173 (1987) SIEDLER, G. Forschungsschiff METEOR, Reise Nr. 4  
SCHMICKLER, H.  
MÖLLER, T.J.  
SCHENKE, H.W.  
ZENK, W.  
Kapverden-Expedition, Oktober - Dezember 1986
- 174 (1987) SCHNEIDER, G. Die Bedeutung der Größenstruktur und des Stoffumsatzes des Zooplanktons für den Energie-transfer im pelagischen Ökosystem der Auftriebsregion vor NW-Afrika  
LENZ, J.
- 175 (1987) LEACH, H. SEA ROVER Data Report II - North Atlantic Summer 1983 - NOA '83 -  
DIDDEN, N.  
FIEKAS, V.  
FISCHER, F.  
HORCH, A.  
WOODS, J.
- 176 (1987) WEIGELT, M. Auswirkungen von Sauerstoffmangel auf die Bodenfauna der Kieler Bucht
- 177 (1988) BREY, TH. Electronic length frequency analysis. A revised and expanded user's guide to elefan 0, 1 and 2 (2nd Edition)  
SORIANO, M.  
PAULY, D.
- 178 (1988) HALBEISEN, H.-W. Bestimmungsschlüssel für Fischlarven der Nordsee und angrenzender Gebiete  
In der Oberarbeitung von  
SCHÜFER, W.
- 179 (1988) GERDES, R. Die Rolle der Dichtediffusion in numerischen Modellen der nordatlantischen Zirkulation
- 180 (1988) LENZ, J. Planktological data from the central Red Sea and the Gulf of Aden  
SCHNEIDER, G.  
EL HAG, A.G.D.  
GRADINGER, R.  
FRITSCHE, P.  
MOIGIS, A.  
PILLEN, T.  
ROLKE, M.  
WEISSE, T.  
(R.V. "Meteor", cruise No. 5/2, January - March 1987)
- 181 (1988) SIEDLER, G. Schwankungen des Wärmeinhalts der Warmwassersphäre im Nordatlantik, Meßprogramm 1984 - 1986  
BLÖBAUM, H.  
KOY, U.  
MEYER, P.  
ZENK, W.  
ZWIERZ, M.
- 182 (1988) HOTTEL, M. Zur Bedeutung der Macrofauna für die Nährsalzprofile im Watt sediment
- 183 (1988) ABELE, D. Carotinoide als biogene Marker für benthische Makroalgen im Sediment der Kieler Bucht
- 184 (1988) MÖLLER, T.J. Forschungsschiff METEOR Reise Nr. 6. ATLANTIK 87/88, Fahrtabschnitte Nr. 1 - 3,  
SIEDLER, G.  
ZENK, W.  
Oktober - Dezember 1987
- 185 (1988) BUCHHOLZ, F. Zur Lebensweise des antarktischen und des nordischen Krills, Euphausia superba und Meganyctiphanes norvegica.
- 186 (1988) BREY, TH. Der Einfluß physikalischer und biologischer Faktoren auf Struktur und Dynamik der Sublitoralen Macoma-Gemeinschaft der Kieler Bucht.
- 187 (1989) STRASS, V. Physikalisch kontrollierte saisonale und horizontale Variabilität von Chlorophyllprofilen.  
- Ergebnisse hydrographisch-optischer Schnitte zwischen den Azoren und Grönland.
- 188 (1989) ABTEILUNG MARINE MIKROBIOLOGIE INSTITUT FOR MEERESKUNDE Forschungen der Abteilung Marine Mikrobiologie des Instituts für Meereskunde an der Universität Kiel 1964 - 1989
- 189 (1989) TEMMING, A. Biologie und Populationsdynamik der Kliesche (Limanda limanda L.) in der Ostsee
- 190 (1989) NACKE, G. Ableitung der Bodenalbedo aus METEOSAT-Daten
- 191 (1990) SICH, H. Die benthische Ciliatenfauna bei Gabelsflach (Kieler Bucht) und deren Beeinflussung durch Bakterien - Eine Studie über Menge, Biomasse, Produktion, Bakterieningestion und Ultrastruktur von Mikroorganismen -
- 192 (1990) PASSOW, U. Vertikalverteilung und Sedimentation von Phytoplanktonarten in der mittleren Ostsee während des Frühjahrs 1986

- 193 (1990) EVERSBERG, U. Abbau und Akkumulation von organischer Substanz in den Sedimenten der Kieler Bucht
- 194 (1990) MAROTZKE, J. Instabilities and Multiple Equilibria of the Thermohaline Circulation
- 195 (1990) JOCHUM, F. Zur Struktur und Dynamik autotropher Ultraplankton-Gemeinschaften in marinen Warmwasser-Ökosystemen.
- 196 (1990) GRADINGER, R. Zur Bedeutung des Pico- und Nanoplanktons in polaren Regionen am Beispiel der Grönlandischen See.
- 197 (1990) SCHULZ, D. Chlorbiphenyle im Meerwasser des Nordatlantiks und der Nordsee - Zur Problematik der Bestimmung und Aufarbeitung von Chlorbiphenylen.
- 198 (1990) WAGNER, D. Ein semi-statistisches Verfahren zur Fernerkundung von troposphärischen Wasserdampfprofilen über dem Ozean.
- 199 (1990) KÄHLER, P. Denitrifikation in marinen Küstensedimenten (Kieler Bucht, Ostsee)
- 200 (1990) KROST, P. Der Einfluß der Grundsleppnetzfischerei auf Nährsalz-Freisetzung aus dem Sediment und Makrofauna der Kieler Bucht (Westl. Ostsee).
- 201 (1990) GALVAO, H.M. Die Rolle der Nanoflagellaten im Nahrungsgesetz eines Brackwassergebiets (Westliche Ostsee).
- 202 (1990) MÜLLER, T.J.  
XU, J.  
ILLINAS, O.  
PEREZ-MARTELL, E. Hydrographic and Current Observations in the North-East Atlantic Ocean  
- Data Report F.S. POLARSTERN Cruise ANT IV/Ib, F.S. POSEIDON Cruise 124,  
B.O. TALIARTE Cruise XIV - September to December 1985