

Myxoma of the Left Ventricle

This report concerns a 69-year-old woman who presented with an asymptomatic myxoma in the left ventricle. The tumor was successfully excised. We provide a very brief review of 72 other published cases of surgically treated left ventricular myxoma. (**Tex Heart Inst J 2014;41(4):395-400**)

Cipriano Abad, MD, PhD
José Novoa, MD
Antonio Delgado, MD
Ana Alonso, MD

Most cardiac myxomas are located in the left atrium and are attached to the atrial septum. Here we present a case in which a myxoma in the left ventricle was successfully excised.

Case Report

A 69-year-old woman with known chronic liver disease was admitted for acute liver dysfunction in association with nonspecific autoimmune disease, rheumatoid arthritis, hypothyroidism, and arterial hypertension. She reported no cardiac diseases or chest pain. During her hospitalization, transthoracic and transesophageal echocardiograms showed a single pediculated round mass (13 × 23 mm) attached to the left ventricular endocardium (Figs. 1 and 2). Chest radiographs, the electrocardiogram, and standard blood tests all showed normal findings. The patient's body mass index was 26.24 kg/m². A liver function test yielded normal results except for a moderate increase of serum glutamic-oxaloacetic transaminase (93 U/L) and serum glutamic-pyruvic transaminase (92 U/L), as determined by enzymatic and colorimetric spectrophotometry.

The patient underwent excision of the intracardiac mass on 5 May 2010, under general anesthesia. A median sternotomy was performed. The ascending aorta and both venae cavae were cannulated, and standard cardiopulmonary bypass (CPB) was performed. The heart was stopped by cross-clamping the ascending aorta. Myocardial protection was achieved by means of topical cooling with ice and intermittent antegrade and retrograde administration of cold-blood cardioplegic solution. The venae cavae were snared with tourniquets, the tumor was excised through a limited left ventriculotomy, and the tumor's pedicle was shaved from the endocardium. The incision was closed with a double layer of 3-0 polypropylene running suture (Fig. 3). The patient was weaned from CPB easily, without inotropic support. Under histopathologic examination, the excised mass was consistent with myxoma. A follow-up echocardiogram 3 months postoperatively disclosed no abnormalities. The patient was lost to follow-up.

Discussion

The first reported case of surgical removal of a left ventricular myxoma was that published by Kay and colleagues in 1959.¹ Since then, at least 71 other surgical cases (excluding myxomas of the mitral or aortic valve) have been reported, most of them as single cases (Table I).²⁻⁷²

Most medical centers have little or no experience in the management of a myxoma in the left ventricle. The surgical approach to a tumor in this location can be carried out 1) through the left atrium and mitral valve, 2) through the ascending aorta, with video assistance, 3) through the right atrium and atrial septum, or 4) through a small longitudinal incision in the left ventricle. We decided on this last approach because it affords good visibility and the possibility of a complete resection. Most reported excisions of left ventricular myxoma have been performed with use of full median sternotomy and classical CPB. Recently, endoscopy and minimally invasive techniques have also been applied.^{33,63,64,70,72}

Key words: Adult; cardio-pulmonary bypass; echocardiography, transesophageal; echocardiography, transthoracic; female; heart neoplasms/surgery; heart ventricles/pathology; myxoma/surgery

From: Departments of Cardiovascular Surgery (Dr. Abad), Cardiology (Drs. Delgado and Novoa), and Pathology (Dr. Alonso), Hospital Universitario de Gran Canaria Dr. Negrin, Las Palmas de Gran Canaria 35010, Spain

Address for reprints: Cipriano Abad, MD, PhD, Cardiovascular Surgery Department, Hospital Universitario de GC Dr. Negrin, Barranco de la Ballena s/n, Las Palmas de Gran Canaria 35010, Spain

E-mail: cpnabad2@gmail.com

© 2014 by the Texas Heart[®] Institute, Houston

TABLE I. Published Cases of Left Ventricular Myxoma* (Surgically Treated)

Reference	Pt. Age (yr)	Sex	Attachment	Size** (mm)	Total Excision	Survived Operation
Kay JH, et al. ¹ (1959)	32	F	VS	NA	Yes	Yes
Thomas GI, et al. ² (1963)	14	F	VS	NA	No	No
de Paiva EC, et al. ³ (1967)	16	M	VS	30	No	No
Wilcox BR and Carter JM ⁴ (1971)	50	F	LV	40 × 20	Yes	Yes
Collins HA and Collins IS ⁵ (1972)	16	F	VS	NA	Yes	Yes
Levisman JA, et al. ⁶ (1975)	45	F	VS	30	Yes	Yes
Meller J, et al. ⁷ (1977)	33	M	VS	100 × 50	Yes	Yes
Fukui H, et al. ⁸ (1982)	36	M	LV	15	Yes	NA
Palazzuoli V, et al. ⁹ (1986)	19	M	LV	60 × 50 × 30	Yes	Yes
Rosenzweig A, et al. ¹⁰ (1989)	43	F	VS	30	Yes	Yes
Otto AC and Hough J ¹¹ (1989)	27	F	VS	25 × 35	Yes	Yes
Panday S, et al. ¹² (1990)	34	F	VS	60 × 60	Yes	Yes
Ueno Y, et al. ¹³ (1990)	32	M	LV	50 × 30	Yes	Yes
Wrisley D, et al. ¹⁴ (1991)	25	F	LV	NA	Yes	Yes
Alfieri O, et al. ¹⁵ (1991)	NA	NA	LV	NA	Yes	Yes
Aota M, et al. ¹⁶ (1992)	17	M	LV	11 × 9 × 5	Yes	Yes
Soma Y, et al. ¹⁷ (1992)	23	M	LV	NA	Yes	Yes
Gotoh Y, et al. ¹⁸ (1993)	NA	NA	NA	NA	Yes	Yes
Kowalik B and Waligorski S ¹⁹ (1994)	69	F	VS	NA	Yes	Yes
Silvestre G, et al. ²⁰ (1994)	NA	NA	VS	NA	Yes	Yes
Bauer MF, et al. ²¹ (1994)	38	F	LV	30 × 30 × 10	Yes	Yes
Saldanha R, et al. ²² (1996)	26	M	LV	NA	Yes	Yes
Fiorilli R, et al. ²³ (1996)	NA	F	LV	NA	Yes	NA
Hariya A, et al. ²⁴ (1996)	71	M	LV	24 × 12	Yes	Yes
Li JY, et al. ²⁵ (1996)	20	F	VS	60 × 50	Yes	Yes
Ishikawa K, et al. ²⁶ (1996)	74	F	VS	11 × 12 × 12	Yes	Yes
Vaughan CJ, et al. ²⁷ (1997)	52	M	LV	25 × 12	Yes	Yes
Thongcharoen P, et al. ²⁸ (1997)	17	M	LV	NA	Yes	Yes
Kapoor A, et al. ²⁹ (1998)	7	F	VS	28 × 30	Yes	Yes
Ramirez Moreno A, et al. ³⁰ (1998)	33	M	LV	NA	Yes	Yes
Basso C, et al. ³¹ (1998)	20	M	LV	15 × 15 × 15	Yes	NA
Delgado LJ, et al. ³² (1998)	20	M	LV	20 × 30	Yes	Yes
Greco E, et al. ³³ (1999)	23	M	LV	20 × 20	Yes	Yes
Bortolotti U, et al. ³⁴ (1999)	29	F	LV	NA	Yes	NA
Gabe ED, et al. ³⁵ (1999)	23	M	VS	NA	Yes	Yes
Hattori Y, et al. ³⁶ (1999)	13	F	LV	NA	Yes	Yes
Kawano H, et al. ³⁷ (2000)	NA	NA	LV	NA	NA	Yes
Cemri M, et al. ³⁸ (2001)	25	M	LV	NA	NA	NA

Table I continues on next page.

TABLE I continued. Published Cases of Left Ventricular Myxoma* (Surgically Treated)

Reference	Pt. Age (yr)	Sex	Attachment	Size** (mm)	Total Excision	Survived Operation
Cis A, et al. ³⁹ (2001)	5	F	VS	NA	Yes	Yes
Rendon F, et al. ⁴⁰ (2002)	27	F	LV	56 × 36	Yes	Yes
Marelli RD, et al. ⁴¹ (2002)	NA	NA	LV	NA	NA	NA
Heima D, et al. ⁴² (2005)	4	F	LV	NA	Yes	Yes
Bicer A, et al. ⁴³ (2005)	31	F	LV	29 × 19	Yes	Yes
Darwazah AK, et al. ⁴⁴ (2006)	NA	NA	VS	37 × 20	Yes	Yes
Natale E, et al. ⁴⁵ (2007)	60	F	LV	75 × 45	Yes	Yes
Sharma G, et al. ⁴⁶ (2007)	11	M	LV	14 × 12	Yes	Yes
Yalta K, et al. ⁴⁷ (2007)	49	F	VS	NA	Yes	Yes
Arruda MV, et al. ⁴⁸ (2008)	22	M	LV	30 × 27	Yes	Yes
Iliescu VA, et al. ⁴⁹ (2008)	23	F	LV	NA	Yes	Yes
Kvitting JP, et al. ⁵⁰ (2008)	55	F	LV	23 × 27	Yes	Yes
Barbetakis N, et al. ⁵¹ (2008)	62	M	LV	69.6 × 40.8	Yes	Yes
Becker RP, et al. ⁵² (2008)	NA	NA	LV	NA	Yes	Yes
Shukla V, et al. ⁵³ (2009)	29	F	LV	NA	Yes	Yes
Aguilar JA, et al. ⁵⁴ (2009)	28	F	LV	NA	Yes	Yes
Robert J, et al. ⁵⁵ (2009)	32	M	LV	17 × 31	Yes	Yes
Vermeulen T, et al. ⁵⁶ (2009)	18	F	LV	25 × 29	Yes	Yes
Chen J, et al. ⁵⁷ (2009)	32	F	VS	40 × 30 × 30	Yes	Yes
Korkmaz AA, et al. ⁵⁸ (2010)	20	M	LV	20 × 15	Yes	Yes
Cetin G, et al. ⁵⁹ (2010)	NA	NA	LV	NA	Yes	NA
Wang B, et al. ⁶⁰ (2010)	23	F	VS	20 × 15 × 15	Yes	Yes
Al Ali A, et al. ⁶¹ (2010)	12	F	VS	53 × 34 × 29	Yes	Yes
Kumar P and Garg A ⁶² (2011)	32	M	VS	18 × 30	Yes	Yes
Hassan M and Smith JM ⁶³ (2012)	16	M	LV	15 × 16	Yes	Yes
Kammerer I, et al. ⁶⁴ (2012)	72	M	LV	NA	Yes	Yes
Kefeng Z, et al. ⁶⁵ (2012)	24	M	LV	NA	Yes	Yes
Ipek EG, et al. ⁶⁶ (2012)	19	M	VS	30 × 40	Yes	Yes
Sudhakumari V, et al. ⁶⁷ (2012)	45	M	LV	37 × 23	Yes	Yes
Toufan M, et al. ⁶⁸ (2012)	24	M	LV	NA	Yes	Yes
Yamada H, et al. ⁶⁹ (2012)	61	F	LV	NA	Yes	Yes
Elmisteakavy EM, et al. ⁷⁰ (2012)	10	M	VS	NA	Yes	Yes
Nijmeh G, et al. ⁷¹ (2013)	31	F	LV	20	Yes	Yes
Schröder C, et al. ⁷² (2013)	57	F	LV	NA	Yes	Yes
Current case	69	F	LV	13 × 23	Yes	Yes

F = female; LV = left ventricle; M = male; NA = not available; Pt. = patient; VS = ventricular septum

*Cases of myxoma arising from the mitral valve (ring, leaflets, papillary muscles, or subvalvular apparatus) and aortic valve are excluded.

**The size in mm was registered at surgery in 16 patients,^{3,4,6,7,9-13,16,21,24,26,31,57,60} by echocardiogram in 21,^{8,25,27,29,32,33,43-46,48,50,55,56,58,61-63,66,67,71} by computed tomographic scan in 1,⁵¹ and by cardiac magnetic resonance imaging in 1.⁴⁰




Fig. 1 Transthoracic echocardiogram (3-chamber view) reveals the tumor in the left ventricular cavity.




Fig. 2 Transesophageal echocardiogram (4-chamber view) shows the intracardiac mass in the left ventricle.



Fig. 3 Photograph shows the resected myxoma.

Acknowledgments

The authors would like to acknowledge all members of our hospital's departments of cardiovascular surgery and cardiology, together with our intensive care unit, for their care of this patient. We also extend a special thank-you to Dr. Jesus Villar, head of the research unit of the hospital, for his technical assistance and review of the manuscript.

References

1. Kay JH, Anderson RM, Meihaus J, Lewis R, Magidson O, Bernstein S, Griffith GC. Surgical removal of an intracavitary left ventricular myxoma. *Circulation* 1959;20:881-6.
2. Thomas GI, Edmark KW, Jones TW, Eyer KM. Myxoma of the left ventricle. A case report. *J Thorac Cardiovasc Surg* 1963;46:220-6.
3. de Paiva EC, Macieira-Coelho E, Amram SS, Duarte Cda S, Coelho E. Intracavitary left ventricular myxoma. *Am J Cardiol* 1967;20(2):260-2.
4. Wilcox BR, Carter JM. Left ventricular myxoma: case report of successful removal. *Ann Surg* 1971;173(1):131-4.
5. Collins HA, Collins IS. Clinical experience with cardiac myxoma. *Ann Thorac Surg* 1972;13(5):450-7.
6. Levisman JA, MacAlpin RN, Arbasi AS, Ellis N, Eber LM. Echocardiographic diagnosis of a mobile, pedunculated tumor in the left ventricular cavity. *Am J Cardiol* 1975;36(7):957-9.
7. Meller J, Teichholz LE, Pichard AD, Matta R, Litwak R, Herman MV, Massie KF. Left ventricular myxoma: echocardiographic diagnosis and review of the literature. *Am J Med* 1977;63(5):816-23.
8. Fukui H, Takagi Y, Inanami H, Asaka T, Yoshida K, Okumachi F, et al. Left ventricular myxoma with special reference to diagnostic approach: report of a case [in Japanese]. *J Cardiogr* 1982;12(2):545-51.
9. Palazzuoli V, Mondillo S, Angelini GD, Breckenridge IM, Kristodhullu A, Caniggia A. Myxoma of the left ventricle. *Thorac Cardiovasc Surg* 1986;34(4):271-2.
10. Rosenzweig A, Harrigan P, Popvic AD. Left ventricular myxoma simulating aortic stenosis. *Am Heart J* 1989;117(4):962-3.
11. Otto AC, Hough J. Left ventricular myxoma. A case report. *S Afr Med J* 1989;76(10):573-4.
12. Panday S, Kubal G, Desai B, Dave A, Arsiwala S. Successful surgical management of left ventricular myxoma: a case report and review of literature. *J Thorac Cardiovasc Surg* 1990;100(1):146-8.
13. Ueno Y, Ohkubo K, Yamazaki F, Shimamoto M, Shinozaki T, Akiyama F. Left ventricular myxoma with mucocutaneous myxoid tumors--a case report [in Japanese]. *Nihon Kyobu Geka Gakkai Zasshi* 1990;38(9):1479-82.
14. Wrisley D, Rosenberg J, Giambartolomei A, Levy I, Turiello C, Antonini T. Left ventricular myxoma discovered incidentally by echocardiography. *Am Heart J* 1991;121(5):1554-5.
15. Alfieri O, Sandrelli L, Pardini A, Fucci C, Zogno M, Ferrari M, Caradonna E. Optimal exposure of the mitral valve through an extended vertical transeptal approach. *Eur J Cardiothorac Surg* 1991;5(6):294-9.
16. Aota M, Kohno S, Komiya T, Nakamura T, Kanzaki Y. A case report of left ventricular myxoma [in Japanese]. *Nihon Kyobu Geka Gakkai Zasshi* 1992;40(3):404-8.
17. Soma Y, Ogawa S, Iwanaga S, Yozu R, Kudo M, Handa S, et al. Multiple primary left ventricular myxomas with multiple intraventricular recurrences. *J Cardiovasc Surg (Torino)* 1992;33(6):765-7.
18. Gotoh Y, Kuribayashi R, Sakurada T, Sekine S, Aida H, Abe T, Atsumi H. Surgical treatment of cardiac myxomas [in Japanese]. *Kyobu Geka* 1993;46(13):1115-8.
19. Kowalik B, Waligorski S. A case of myxoma in the left heart ventricle [in Polish]. *Wiad Lek* 1994;47(15-16):629-31.
20. Silvestre G, Anselmi M, Mazzucco A. Isolated left ventricular myxoma discovered by two-dimensional echocardiography [in Italian]. *G Ital Cardiol* 1994;24(6):769-72.
21. Bauer MF, Aebert H, Zurrbrugg H, Ruschoff J, Birnbaum DE. Torsades de pointes arrhythmia in a patient with left ventricular myxoma. *Chest* 1994;105(6):1876-8.

22. Saldanha R, Srikrishna SV, Shetty N, Shenthar J, Nayak PP. Surgical management of left ventricular myxoma with embolization to the right coronary artery. *Tex Heart Inst J* 1996;23(3):230-2.
23. Fiorilli R, Tomasco B, Serino W, Tesler UF. Asymptomatic left ventricular myxoma in pregnancy: echocardiographic diagnosis and surgical treatment [in Italian]. *G Ital Cardiol* 1996;26(8):887-90.
24. Hariya A, Makuuchi H, Naruse Y, Kobayashi T, Fuse K. A case of left ventricular myxoma [in Japanese]. *Nihon Kyobu Geka Gakkai Zasshi* 1996;44(11):2087-90.
25. Li JY, Lin FY, Hsu RB, Chu SH. Video-assisted cardioscopic resection of recurrent left ventricular myxoma. *J Thorac Cardiovasc Surg* 1996;112(6):1673-4.
26. Ishikawa K, Hoshino S, Iwaya F, Igari T, Watanabe M, Sato K. A case of left ventricular myxoma [in Japanese]. *Kyobu Geka* 1996;49(12):1014-7.
27. Vaughan CJ, Gallagher M, Murphy MB. Left ventricular myxoma presenting with constitutional symptoms and raised serum interleukin-6 both suppressed by naproxen. *Eur Heart J* 1997;18(4):703.
28. Thongcharoen P, Laksanabunsong P, Thongtang V. Left ventricular outflow tract obstruction due to a left ventricular myxoma: a case report and review of the literature. *J Med Assoc Thai* 1997;80(12):799-806.
29. Kapoor A, Radhakrishnan S, Sinha N. Unusual presentation during childhood of left ventricular myxoma. *Cardiol Young* 1998;8(1):126-7.
30. Ramirez Moreno A, Anguita Sanchez M, Castillo Dominguez JC, Siles Rubio JR, Franco Zapata M, Casares Mediavilla J, Valles Belsue F. Isolated left ventricular myxoma discovered incidentally by echocardiography [in Spanish]. *Rev Esp Cardiol* 1998;51(9):763-5.
31. Basso C, Fasoli G, Cassarotto D, Thiene G. Images in cardiovascular medicine. Unusual left ventricular mass. *Circulation* 1998;98(10):1036.
32. Delgado LJ, Montiel J, Guindo J, Margarit L, Casas I, Ramirez I, et al. Myxoma of the left ventricle: a cause of syncope in an adolescent [in Spanish]. *Rev Esp Cardiol* 1998;51(8):674-6.
33. Greco E, Mestres CA, Cartana R, Pomar JL. Video-assisted cardiocopy for removal of primary left ventricular myxoma. *Eur J Cardiothorac Surg* 1999;16(6):677-8.
34. Bortolotti U, Sciotti G, Guglielmi C, Milano A, Nardi C, Tartarini G. Recurrent myxoma of the left ventricle. Case report and review of the literature. *J Cardiovasc Surg (Torino)* 1999;40(2):233-5.
35. Gabe ED, Dulbecco EA, Laguens RP, Weinschelbaum EE. Left ventricular myxoma. *Can J Cardiol* 1999;15(3):341-2.
36. Hattori Y, Watanabe K, Negi K, Takeda I, Iriyama T, Sugimura S. Left ventricular myxomas. A case report and a review of the literature [in Japanese]. *Jpn J Cardiovasc Surg* 1999;28(6):392-5.
37. Kawano H, Tayama K, Akasu K, Komesu I, Fukunaga S, Aoyagi S. Left ventricular myxoma: report of a case. *Surg Today* 2000;30(12):1112-4.
38. Cemri M, Ozdemir M, Timurkaynak T, Sezer C, Erkan A, Dortlemez O. Large left ventricular myxoma presenting coronary neovascularization [in Turkish]. *Turk Kardiyol Dern Ars* 2001;29(4):253-5.
39. Cis A, Fernandez Rostello E, Marticani R. Myxoma of the left ventricular outflow tract [in Spanish]. *An Esp Pediatr* 2001;55(1):80-2.
40. Rendon F, Agosti J, Llorente A, Rodrigo D, Montes K. Intramural cardiac myxoma in left ventricular wall: an unusual location. *Asian Cardiovasc Thorac Ann* 2002;10(2):170-2.
41. Marelli RD, Drago A, Basso G, Bravo F, Torrijos RG, Gerones C, et al. Tumores cardiacos primarios: aspectos clinicos y tratamiento [in Spanish]. *Rev Fed Arg Cardiol* 2002;31:287-94.
42. Heima D, Nemoto S, Ikeda T, Nishio H, Doi H, Iwasa T, et al. Successful resection of left ventricular myxoma in a toddler; report of a case [in Japanese]. *Kyobu Geka* 2005;58(2):143-5.
43. Bicer A, Turhan H, Cagirci G, Yasar AS, Sasmaz H. Asymptomatic left ventricular myxoma diagnosed incidentally by transthoracic echocardiography. *Echocardiography* 2005;22(10):855-6.
44. Darwazah AK, Hawari MH, Hussein IH, El-Hassan HK. Multiple left ventricular myxomas arising from the inter-ventricular septum and ventricular trabeculae: a case report. *Heart Surg Forum* 2006;9(2):E587-9.
45. Natale E, Minardi G, Casali G, Pulignano G, Musumeci F. Left ventricular myxoma originating from the interventricular septum and obstructing the left ventricular outflow tract. *Eur J Echocardiogr* 2008;9(1):84-5.
46. Sharma G, Madro P, Polettek M, Gwozdz W, Dziegiel P, Wroniecki K, Cichon R. Myxoma of the left ventricle--a case report [in Polish]. *Kardiologia* 2007;65(6):688-90.
47. Yalta K, Turgut OO, Yilmaz A, Yilmaz MB, Ozyol A, Karadas F, Tandogan I. Left ventricular outflow tract myxoma accompanied by dextrocardia with situs inversus: a case report. *Int J Cardiovasc Imaging* 2007;23(3):329-32.
48. Arruda MV, Braille DM, Joaquim MR, Soares MJ, Alves RH. Resection of left ventricular myxoma after embolic stroke. *Rev Bras Cir Cardiovasc* 2008;23(4):578-80.
49. Iliescu VA, Dorobantu LF, Stiru O, Iosifescu AG, Coman I, Marin S, Filipescu D. Second recurrence of cardiac myxoma 7 years after the initial operation [in Romanian]. *Chirurgia (Bucur)* 2008;103(2):239-41.
50. Kvitting JP, Engvall J, Broqvist M, Franzen S, Andersson M, Ohlsson U, Nielsen NE. Recurrence of myxoma in the left ventricle with concurrent cerebral fusiform aneurysms after previous atrial myxoma surgery. *J Thorac Cardiovasc Surg* 2008;135(5):1172-3.
51. Barbetakis N, Xenikakis T, Efstathiou A, Samanidis G, Tsilikas C, Fessatidis I. Synchronous left ventricular myxoma and malignant fibrous histiocytoma: simultaneous surgical management. *Hellenic J Cardiol* 2008;49(5):371-3.
52. Becker RP, Ramirez MA, Zalaquett SR, Moran VS, Irrarazaval LIMJ, Arretz VC, et al. Cardiac myxoma: clinical characterization, diagnostic methods and late surgical results [in Spanish]. *Rev Med Chil* 2008;136(3):287-95.
53. Shukla V, Roy T, Thomas KK, Shankar R. Technique of excision of LV myxoma prolapsing into the aorta. *Indian J Thorac Cardiovasc Surg* 2009;25(2):78-9.
54. Aguilar JA, Summerson C, Jimenez R. Obstruccion del tracto de entrada y del tracto de salida del ventriculo izquierdo por mixomas multiples [in Spanish]. *Rev Fed Arg Cardiol* 2009;38(2):92-4.
55. Robert J, Brack M, Hottinger S, Kadner A, Baur HR. A rare case of left ventricular cardiac myxoma with obstruction of the left ventricular outflow tract and atypical involvement of the mitral valve. *Eur J Echocardiogr* 2009;10(4):593-5.
56. Vermeulen T, Conraads VM, Vrints C, Rodrigus IE. Recurrent left ventricular myxoma presenting as cerebrovascular accidents in a teenage girl. *Acta Cardiol* 2009;64(6):811-4.
57. Chen J, He Y, Li Z, Han J, Gu X, Wang L, Nixon JV. Myxoma of the left ventricular outflow tract. *J Ultrasound Med* 2009;28(11):1585-8.
58. Korkmaz AA, Tamtekin B, Onan B, Demir AS, Guden M, Uckurt Y. Combination of right atrial and left ventricular myxoma. *Ann Thorac Surg* 2010;89(5):e33-5.
59. Cetin G, GURSOY M, UGURLUCAN M, UZUNHASAN I, HATEMI AC, TIRELI E, et al. Single-institutional 22 years experience on cardiac myxomas. *Angiology* 2010;61(5):504-9.

60. Wang B, Xiang XY, Fu ZX. Left ventricular myxoma accompanied with congenital atrial septal defect. *J Card Surg* 2010; 25(3):308.
61. Al Ali A, Al Shawaf H, Al Khalaf Y. Stroke caused by left ventricular myxoma. *J Am Coll Cardiol* 2011;57(6):e11.
62. Kumar P, Garg A. Left ventricular myxoma in a child: a case report. *Eur J Echocardiogr* 2011;12(3):E23.
63. Hassan M, Smith JM. Robotic assisted excision of a left ventricular myxoma. *Interact Cardiovasc Thorac Surg* 2012;14(1):113-4.
64. Kammerer I, Nagib R, Franke UFW. Minimal invasive thoracoscopic transmitral resection of a left ventricular mixoma. *Arch Clin Exp Surg* 2012;1(3):188-90.
65. Kefeng Z, Dong X, Xuebin S, Yanhui L, Hongli L, Fei L, et al. Right ventricular and left atrial and left ventricular myxomas: report of a case. *Surg Today* 2012;42(5):502-4.
66. Ipek EG, Guray Y, Tufekcioglu O, Kafes H, Demirkan B. Left ventricular myxoma in an asymptomatic young man. *Herz* 2012;37(8):917-8.
67. Sudhakumari V, Anoop TM, Thomas JK, George R. Left ventricular myxoma presenting with prolonged fever. *Proc (Bayl Univ Med Cent)* 2012;25(3):246-7.
68. Toufan M, Jodati A, Safaei N, Kazemi B, Pourafkari L. Myxomas in all cardiac chambers. *Echocardiography* 2012;29(10):E270-2
69. Yamada H, Miura T, Kawamura T, Kuki S, Ohtake S. A case report of left ventricular myxoma and review of the literature. *Jpn J Cardiovasc Surg* 2012;41(1):38-42.
70. Elmistekawy EM, AlAtafy AA, Ahmed K, Hammad AA. A rare presentation of cardiac myxoma: left ventricular outflow cyst. *Asian Cardiovasc Thorac Ann* 2012;20(6):739.
71. Nijmeh G, Tatoes A, Zelinger A. Utilizing three-dimensional echocardiography in cardioscopic left ventricular myxoma resection. *Echocardiography* 2013;30(2):E44-6.
72. Schroder C, Leukhardt WH, Hsiao EM, Farah MG, Markowitz AH. Transaortic video-assisted resection of a recurrent left ventricular myxoma. *Ann Thorac Surg* 2013;95(1):340-2.